

---

# Documentation Set Guide

Tools > Files & Software Installation



2007-10-31



Apple Inc.  
© 2007 Apple Inc.  
All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, mechanical, electronic, photocopying, recording, or otherwise, without prior written permission of Apple Inc., with the following exceptions: Any person is hereby authorized to store documentation on a single computer for personal use only and to print copies of documentation for personal use provided that the documentation contains Apple's copyright notice.

The Apple logo is a trademark of Apple Inc.

Use of the "keyboard" Apple logo (Option-Shift-K) for commercial purposes without the prior written consent of Apple may constitute trademark infringement and unfair competition in violation of federal and state laws.

No licenses, express or implied, are granted with respect to any of the technology described in this document. Apple retains all intellectual property rights associated with the technology described in this document. This document is intended to assist application developers to develop applications only for Apple-labeled computers.

Every effort has been made to ensure that the information in this document is accurate. Apple is not responsible for typographical errors.

Apple Inc.  
1 Infinite Loop  
Cupertino, CA 95014  
408-996-1010

.Mac is a service mark of Apple Inc.

Apple, the Apple logo, Carbon, Cocoa, Mac, Mac OS, Objective-C, and Xcode are trademarks of Apple Inc., registered in the United States and other countries.

Intel and Intel Core are registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

Java and all Java-based trademarks are trademarks or registered trademarks of Sun

Microsystems, Inc. in the U.S. and other countries.

PowerPC and the PowerPC logo are trademarks of International Business Machines Corporation, used under license therefrom.

Simultaneously published in the United States and Canada.

**Even though Apple has reviewed this document, APPLE MAKES NO WARRANTY OR REPRESENTATION, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT, ITS QUALITY, ACCURACY, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. AS A RESULT, THIS DOCUMENT IS PROVIDED "AS IS," AND YOU, THE READER, ARE ASSUMING THE ENTIRE RISK AS TO ITS QUALITY AND ACCURACY.**

**IN NO EVENT WILL APPLE BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY DEFECT OR INACCURACY IN THIS DOCUMENT, even if advised of the possibility of such damages.**

**THE WARRANTY AND REMEDIES SET FORTH ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHERS, ORAL OR WRITTEN, EXPRESS OR IMPLIED. No Apple dealer, agent, or employee is authorized to make any modification, extension, or addition to this warranty.**

**Some states do not allow the exclusion or limitation of implied warranties or liability for incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.**

# Contents

<b>Introduction</b>	<b>Introduction to Documentation Set Guide</b>	<b>11</b>
	Organization of This Document	11
	See Also	12
<b>Chapter 1</b>	<b>Overview of Documentation Sets</b>	<b>13</b>
	Documentation in Xcode	13
	Browsing Installed Content	14
	Searching Content	15
	Viewing Symbol Information from the Text Editor	16
	The Documentation Set Bundle	17
	Documentation Set Development Workflow	18
<b>Chapter 2</b>	<b>Creating Documentation Sets</b>	<b>19</b>
	Organizing Documentation Set Bundles	19
	Naming Documentation Sets	20
	Choosing Documentation Set Locations	20
<b>Chapter 3</b>	<b>Configuring Documentation Sets</b>	<b>23</b>
	Identifying Documentation Sets	23
	Describing Documentation Sets	25
	Defining a Documentation Node	25
	Constructing a Table of Contents	31
	Referencing Documentation Nodes	32
	Creating a Library of Node Definitions	33
	Minimal Nodes.xml File Example	34
	Expanded Nodes.xml File Example	34
<b>Chapter 4</b>	<b>Supporting API Lookup in Documentation Sets</b>	<b>37</b>
	Defining a Symbol for Lookup	37
	Identifying Symbols	38
	Associating Symbols with API Reference Documentation	40
	Providing Additional Information About a Symbol	41
	Symbol Abstract and Declaration	41

- Header File Information 41
- Version Information 42
- Related Symbols, Documents, and Sample Code 43
- Managing Symbol Information in Large Documentation Sets 44
  - Grouping Tokens by File 45
  - Specifying Related Tokens 46
  - Using Multiple Tokens Files 46
- Example Tokens.xml File 47

**Chapter 5**      **Indexing Documentation Sets 49**

---

- Creating Indexes Using docsetutil 49
- Downloading and Indexing Web Content 50

**Chapter 6**      **Internationalizing Documentation Sets 51**

---

- Localizing Individual Documents 51
- Localizing a Documentation Set Bundle 53
- Creating Indexes for Specific Locales 53

**Chapter 7**      **Acquiring Documentation Sets Through Web Feeds 57**

---

- Specifying Feed Information 57
- Specifying a Documentation Set Entry 58
- The Documentation Set Acquisition Process 59
  - Getting Documentation Sets 60
  - Updating Documentation Sets 60
- An Example Atom Feed 61

**Chapter 8**      **Testing and Packaging Documentation Sets 63**

---

- Querying and Testing Indexes 63
  - Comparing the Contents of the Documentation Set Bundle and its Indexes 63
  - Verifying Indexes 64
  - Querying Indexes 65
- Testing Display and Navigation 66
- Packaging Documentation Sets 66

**Appendix A**      **docsetutil Reference 69**

---

**Appendix B**      **Documentation-Set Property List Key Reference 73**

---

- CFBundleDevelopmentRegion 73
- CFBundleIdentifier 73
- CFBundleName 73

CFBundleVersion 74  
 DocSetFallbackURL 74  
 DocSetFeedName 74  
 DocSetFeedURL 75  
 DocSetCertificateSigner 75  
 DocSetCertificateIssuer 75  
 NSHumanReadableCopyright 75

**Appendix C**      **Documentation-Set Nodes Schema Reference** 77

---

DocSetNodes 77  
     Attributes 78  
     Subelements 78  
 TOC 78  
     Attributes 78  
     Subelements 78  
 Node 78  
     Attributes 79  
     Subelements 79  
 Name 80  
     Attributes 80  
     Content 80  
 Subnodes 80  
     Attributes 80  
     Subelements 80  
 NodeRef 80  
     Attributes 81  
     Subelements 81  
 URL 81  
     Attributes 81  
     Content 82  
 Path 82  
     Attributes 82  
     Content 82  
 File 82  
     Attributes 82  
     Content 83  
 Anchor 83  
     Attributes 83  
     Content 83  
 Library 83  
     Attributes 83  
     Subelements 83

**Appendix D**      **Documentation-Set Tokens Schema Reference** 85

---

Tokens	86
Attributes	86
Subelements	86
Token	86
Attributes	87
Subelements	87
TokenIdentifier	88
Attributes	88
Subelements	88
Content	89
Name	89
Attributes	89
Content	89
APILanguage	89
Attributes	89
Content	90
Type	90
Attributes	90
Content	90
Scope	90
Attributes	90
Content	90
Abstract	90
Attributes	91
Content	91
Anchor	91
Attributes	91
Content	91
NodeRef	91
Attributes	92
Declaration	92
Attributes	92
Content	92
DeclaredIn	92
Subelements	93
Content	93
Availability	93
Attributes	93
Subelements	94
Path	94
Attributes	94
Content	94
HeaderPath	94
Attributes	94

- Content 95
- FrameworkName 95
  - Attributes 95
  - Content 95
- IntroducedInVersion 95
  - Attributes 95
  - Content 95
- DeprecatedInVersion 96
  - Attributes 96
  - Content 96
- RemovedAfterVersion 96
  - Attributes 96
  - Content 97
- DeprecationSummary 97
  - Attributes 97
  - Content 97
- RelatedTokens 97
  - Attributes 97
  - Subelements 98
- RelatedDocuments 98
  - Attributes 98
  - Subelements 98
- RelatedSampleCode 98
  - Attributes 98
  - Subelements 98
- File 99
  - Attributes 99
  - Subelements 99
  
- Document Revision History 101

---

C O N T E N T S

# Figures and Listings

## Chapter 1 Overview of Documentation Sets 13

---

- Figure 1-1 Browsing documentation 14
- Figure 1-2 Full-text search 15
- Figure 1-3 API search 15
- Figure 1-4 The Research Assistant window 16
- Figure 1-5 The structure of an installed documentation set bundle 17

## Chapter 2 Creating Documentation Sets 19

---

- Figure 2-1 Creating the bundle hierarchy 19

## Chapter 3 Configuring Documentation Sets 23

---

- Figure 3-1 Documentation sets grouped by feed 24
- Figure 3-2 Placement of the `Info.plist` file 25
- Listing 3-1 A minimal `Info.plist` file 24
- Listing 3-2 Assigning a name to a node 26
- Listing 3-3 Specifying the type of a node 26
- Listing 3-4 Structure of a fictional documentation set 28
- Listing 3-5 A folder node 29
- Listing 3-6 A bundle node 29
- Listing 3-7 A file node 30
- Listing 3-8 Another way to describe a file node 30
- Listing 3-9 A node with web-based content 30
- Listing 3-10 Specifying subnodes 31
- Listing 3-11 Building a table of contents 32
- Listing 3-12 Creating a library of nodes 33
- Listing 3-13 A minimal `Nodes.xml` file 34
- Listing 3-14 An expanded documentation set 34
- Listing 3-15 A table of contents for the expanded documentation set 35
- Listing 3-16 An expanded `Nodes.xml` file 35

## Chapter 4 Supporting API Lookup in Documentation Sets 37

---

- Listing 4-1 Specifying a token identifier with individual properties 39
- Listing 4-2 Specifying a token identifier using an `apple_ref` string 39
- Listing 4-3 Referencing the documentation node for a token 40

Listing 4-4	Specifying the path to a symbol's documentation	40
Listing 4-5	Specifying a summary and declaration	41
Listing 4-6	Specifying header file information for a symbol	42
Listing 4-7	Specifying version information for a token	42
Listing 4-8	Version information for multiple architectures	43
Listing 4-9	Specifying related symbols and documents	44
Listing 4-10	Grouping tokens by file	45
Listing 4-11	Creating a list of related tokens	46
Listing 4-12	An example tokens file	47

---

**Chapter 5**      **Indexing Documentation Sets**    49

Figure 5-1	A documentation set bundle before indexing	49
------------	--	----

---

**Chapter 6**      **Internationalizing Documentation Sets**    51

Figure 6-1	Internationalized node in a documentation set	52
Listing 6-1	An internationalized <code>Node</code> element	52
Listing 6-2	An internationalized documentation set before indexing	54
Listing 6-3	An internationalized documentation set after indexing	54

---

**Chapter 7**      **Acquiring Documentation Sets Through Web Feeds**    57

Listing 7-1	Describing a feed	58
Listing 7-2	Describing a documentation set entry	59
Listing 7-3	Example Atom feed	61

---

**Chapter 8**      **Testing and Packaging Documentation Sets**    63

Listing 8-1	Dumping the contents of a documentation set's indexes	64
Listing 8-2	Sample output from <code>docsetutil search</code>	65

---

**Appendix C**      **Documentation-Set Nodes Schema Reference**    77

Listing C-1	Nodes.xml element topology	77
-------------	----------------------------	----

---

**Appendix D**      **Documentation-Set Tokens Schema Reference**    85

Listing D-1	Tokens.xml element topology	85
-------------	-----------------------------	----

# Introduction to Documentation Set Guide

---

Xcode, Apple’s Mac OS X development environment, includes an integrated documentation window that allows users to easily browse and search developer documentation. Third-party developers can integrate their own documentation with the Xcode IDE and get the same full-featured documentation viewer that Xcode provides for Apple’s own developer documentation.

This document explains how to package and build a documentation set for use with Xcode. If you have a developer-targeted software product, this document shows you how to integrate documentation for that product with the Xcode documentation window. This document assumes that you have existing HTML or PDF documentation files; it does not describe how to write or generate these documentation files.

In this document the term **documentation producer** (or producer for short) identifies a person involved in creating documentation sets. The term **documentation user** (or user for short) refers to Xcode users who access documentation sets installed on their file systems using the Xcode Documentation window.

## Organization of This Document

---

This document contains the following chapters:

- [“Overview of Documentation Sets”](#) (page 13) introduces the documentation set bundle and describes how they appear in the Xcode documentation window. It also provides an overview of how to create a documentation set.
- [“Creating Documentation Sets”](#) (page 19) describes how to create and name the folder hierarchy for your documentation set bundle, as well as how to choose where to install that bundle.
- [“Configuring Documentation Sets”](#) (page 23) introduces the `Info.plist` and `Nodes.xml` files, which are required for any documentation set. This chapter shows how to use these files to describe the documentation set and its contents.
- [“Supporting API Lookup in Documentation Sets”](#) (page 37) shows how to create a tokens file to support API search in your documentation set.
- [“Indexing Documentation Sets”](#) (page 49) describes the `docsetutil` indexing tool and shows how to use it to index your documentation set, so that Xcode can access and display its contents.
- [“Internationalizing Documentation Sets”](#) (page 51) shows how to support multiple languages by localizing all or some of the contents of the documentation set bundle.

- [“Acquiring Documentation Sets Through Web Feeds”](#) (page 57) describes how to support automatic detection and downloading of documentation set updates, using an RSS or Atom feed.
- [“Documentation-Set Nodes Schema Reference”](#) (page 77) lists all of the elements supported in the nodes file format.
- [“Documentation-Set Tokens Schema Reference”](#) (page 85) lists all of the elements supported in the tokens file format.
- [“Documentation-Set Property List Key Reference”](#) (page 73) describes the info plist keys that Xcode recognizes.

## See Also

---

In addition to the material in this document, you may find the following resources helpful:

- *Xcode User Guide* describes Xcode and the Xcode Documentation window.
- The [AtomEnabled website](#) provides information about the Atom format.

# Overview of Documentation Sets

---

The Xcode IDE includes a full-featured documentation viewer that lets you view the installed developer documentation. The documentation window of Xcode has provided integrated browsing and searching of Apple’s developer documentation since Xcode 1.0.

In Xcode 3.0, you can integrate documentation for your own products into the Xcode Documentation window, using documentation sets. By providing your documentation as a documentation set, users can take advantage of all the Xcode documentation-viewing features to browse and search for information in your documents.

This chapter introduces the Xcode Documentation window and describes how documentation sets appear in the user interface. It also describes the documentation-set bundle and provides an overview of how to construct a documentation set.

## Documentation in Xcode

---

When the user launches Xcode, it searches for installed documentation sets. It displays the documentation sets that it finds in the documentation set list in the Documentation window.

Using the Xcode documentation viewer, users can:


- Perform full-text and API searches on your documentation.
- Easily browse your documentation.
- Use the Option–double-click keyboard shortcut from the code editor to jump to documentation for a symbol.
- View summary information for symbols in your documentation using the Research Assistant.
- Automatically check for and download documentation updates.

All these features, which Apple takes advantage of for its own developer documentation, are available to you when you package your own documentation as a documentation set.

## Browsing Installed Content

By selecting a documentation set and clicking the Browse button, users can see and navigate the contents of the documentation set in the **browser view**. When the user selects an item in this browser view, the documentation window displays the associated HTML-based content in the **content pane**, as shown in Figure 1-1.

Figure 1-1 Browsing documentation



Each item in the documentation set list or in the browser view is a single **documentation node**. To the user, a node may be a single document, a collection of documents, or a single HTML documentation page. Within the documentation set, a documentation node represents a file or a set of files. The table of contents of your documentation set is determined by the hierarchy of documentation nodes that you define when you create the documentation set, as described in “[Configuring Documentation Sets](#)” (page 23).


## Searching Content

Users select a type of search from the **search strip** (which appears below the Documentation window toolbar during a search) and type their search text in the search field. Xcode searches the documentation indicated by the user's current selection in the documentation set list; this can be one or more documentation sets.

**Note:** Users can further control the scope of their search with the other options in the search strip. Search options are not visible in Browse mode; users can show search options by clicking the Browse button again.


For full-text searches, Xcode displays a list of results and their relevance, as shown in Figure 1-2.

**Figure 1-2** Full-text search



For API searches, Xcode displays a list of matching symbol names, as shown in Figure 1-3.

**Figure 1-3** API search



Full-text search is a batch operation; API and title searches filter the results list as the user types. The user can see the HTML document associated with a search result by selecting the search result.


## Viewing Symbol Information from the Text Editor

---

When working in the Xcode code editor, users can get additional information about the currently selected symbol by doing either of the following:

- Option-double-clicking the symbol to bring up the Documentation window and load the reference documentation for that symbol.
- Bringing up the Research Assistant, shown in Figure 1-4.

**Figure 1-4** The Research Assistant window



The Research Assistant shows a reference summary—such as a summary description, availability, and so forth—for the symbol, while allowing the user to continue working in the code editor. The user can jump to the full documentation for the symbol at any time. For more information on providing additional information for symbols, see [“Supporting API Lookup in Documentation Sets”](#) (page 37).


## The Documentation Set Bundle

---

A **documentation set** is a standard Mac OS X bundle. The structure of a documentation set follows the conventions described in *Bundle Programming Guide*. Therefore, a documentation set's content, including documentation files, can be localized.

The basic structure of an installed documentation set bundle is similar to that shown in Figure 1-5.

**Figure 1-5** The structure of an installed documentation set bundle



The documentation set bundle contains the following (for the structure of a localized documentation set bundle, see [“Internationalizing Documentation Sets”](#) (page 51)):

- An information property list (`Info.plist`) file. This file describes the documentation set bundle. Xcode uses this file to:
  - Display the documentation set name in the documentation set list in the documentation window
  - Display information about the availability of updates to the documentation set and optionally download and install those updates
- HTML documentation files. These must be placed inside of the `Documents` directory.
- Generated index files. The `docSet.dsidx` and `docSet.skidx` files are binary files that describe the symbols and documents in the documentation set. Xcode uses the information in these files to:
  - Display the documentation set's contents in the browser view in the documentation window
  - Carry out full-text searches of the HTML documentation files
  - Associate symbol names with locations in the HTML documentation

To generate the index files, you must also include several XML metadata files in your documentation set bundle. These files, which describe the contents of the documentation set, are:

- A `Nodes.xml` file. This file describes the structure of the documentation set and is used to create the table of contents that users see in the Documentation window. This file is required.

- One or more `Tokens.xml` files. These files (known as **tokens files**) associate symbol names with locations in the documentation and are used to create the symbol index for a documentation set. Although optional, you must include a tokens file to support fast API lookup.

These metadata files must reside within the documentation set bundle when you index the documentation set.

## Documentation Set Development Workflow

---

The basic steps involved in creating a documentation set are:

1. Organize documentation files into the bundle structure.

The first step to building a documentation set is to create the directory hierarchy of the documentation set bundle and populate it with your HTML documentation files.

2. Describe the documentation set and its structure.

The next step in building a documentation set is to create an `Info.plist` file and `Nodes.xml` file for the documentation set. The `Info.plist` file describes the overall characteristics of the documentation set, such as its name and version number. The `Nodes.xml` file describes the structure of the documentation set and provides its table of contents.

3. Support API lookup.

If you wish to support API lookup for your documentation sets, you must also include one or more `Tokens.xml` files.

4. (Optional) Localize the documentation set.

If you provide documentation in more than one language, you can localize all or part of the documentation set bundle.

5. Index the documentation set.

The `docsetutil` tool generates the full-text (`docSet.skidx`) and API (`docSet.dsidx`) indexes that Xcode uses to access your documentation.

6. (Optional) Provide an RSS or Atom feed.

You can take advantage of automatic documentation updates in Xcode by providing an RSS or Atom feed that publishes updated versions of your documentation set.

7. Test, package, and distribute the documentation set.

Once your documentation set is complete, you can test it in Xcode simply by placing it in one of the standard documentation locations. You can also use the `docsetutil` tool to test the generated index files. After you have made sure that the documentation set and its indexes are complete and correct, you can use `docsetutil` to package the documentation set bundle as an XAR archive for distribution.


# Creating Documentation Sets

A documentation set is a standard Mac OS X bundle that packages a set of HTML (or PDF) documentation files, along with the information needed to access and display that documentation in the Xcode Documentation window. This chapter describes the directory hierarchy, naming conventions, and file-system locations of a documentation set bundle.

## Organizing Documentation Set Bundles

The first step in creating a documentation set is to create and populate the folder hierarchy of the documentation set bundle. The documentation set structure that you create should look similar to that shown in Figure 2-1.

**Figure 2-1** Creating the bundle hierarchy



You must place all of a documentation set’s documentation files inside the `Resources/Documents` directory.

Within the `Documents` directory, you can use any arbitrary hierarchy to organize your documentation files. In this example, the documentation set contains a `Tutorial.html` file and a directory of additional documentation files, `UserGuide`.

Xcode and `docsetutil` support both HTML and PDF documentation files. Your documentation set can contain files in either format.

The `Documents` directory, like any other bundle resource, can be localized. For the structure of a localized documentation set bundle, see [“Localizing a Documentation Set Bundle”](#) (page 53).

## Naming Documentation Sets

---

Because documentation sets are installed in standard locations, documentation set bundle names should be chosen to minimize the chance of conflicts. You should name documentation sets using the uniform type identifier (UTI)-style used for the `CFBundleIdentifier` property, as described in “Property List Key Reference.”

Documentation set bundle names must include the `docset` extension. So, for example, a documentation set bundle name may look like this:

```
com.mycompany.MyDocSet.docset
```

## Choosing Documentation Set Locations

---

When it first displays the Documentation window, Xcode scans for all installed documentation sets. It searches for these documentation sets in the following locations, listed in the order in which they are searched:

1. `<Xcode>`. Documentation sets are located at `<Xcode>/Documentation/DocSets`.

In Xcode 3.0 users can install multiple versions of Xcode on a single computer. Xcode always searches for documentation sets within the `<Xcode>` directory in which the active Xcode binary resides. For example, if the user has installed Xcode 3.0 at `/Xcode 3.0`, Xcode searches for documentation sets at `/Xcode 3.0/Documentation/DocSets..`

2. `~/Library/Developer/Shared/Documentation/DocSets`. This location contains documentation sets specific to the user that is currently logged in to the system.
3. `/Library/Developer/Shared/Documentation/DocSets`. This location contains documentation sets viewable by all users of the current system.
4. `/Network/Library/Developer/Shared/Documentation/DocSets`. This location contains documentation sets used by a group of people on the same network.
5. `/System/Library/Developer/Shared/Documentation/DocSets`. You should not install files in the system domain.

In addition to these standard locations, users can add their own locations to the list of documentation set locations in Xcode Preferences > Documentation. With the exception of the Xcode directory, which is always searched first, users can reorder the Documentation Set Locations list. Xcode searches for documentation sets at both standard and user-defined locations, in the order in which they appear in this list.

If the same documentation set appears in more than one location, Xcode uses the first instance that it finds. For more on documentation set locations, see *Xcode User Guide*.

You should install your documentation set in the same file system domain as the software product that it documents. For example, if your product is installed in the local domain—say, at `/Applications/MyProduct`—your documentation set should be installed at `/Library/Developer/Documentation/DocSets`.

In some cases, you may wish to install your documentation set in a location other than the standard documentation set locations. You can still make sure that Xcode finds and accesses your documentation set by creating a symbolic link (symlink) to your documentation set and placing that symlink in one of the standard documentation locations.

After the initial installation, users can move any documentation set—with the exception of the Developer Tools documentation set provided by Apple—to an arbitrary file-system location. Unless they move the documentation set to one of the standard locations, however, users must also ensure that the new location appears in the documentation set locations in Xcode Preferences > Documentation.

As a documentation set provider, you do not need to worry about the user relocating your documentation set. As long as the user adds the new location of their documentation directory as a documentation set location, Xcode will continue to be able to locate your documentation.



# Configuring Documentation Sets

---

A documentation set is a bundle containing documentation content and indexes into that content. Users view a documentation set's content in the Xcode Documentation window. The Documentation window supports two modes of viewing a documentation set: *browse* and *search*. Browse mode uses the documentation set's content structure. Search mode uses the documentation set's index.

There are two files that identify a documentation set to Xcode and describe its content:

- `Info.plist`: Specifies the general characteristics of the documentation set, including its name, provider, bundle identifier, and so forth.

This file must be contained in a documentation set; otherwise, Xcode doesn't recognize the bundle as a documentation set.

- `Nodes.xml`: Describes the structure and contents of the documentation set and defines the table of contents that the user sees in the Documentation window.

This file is needed only to create the documentation set's index. It's not required for publication.

The following sections describe these two files and show how to use them to describe the documentation set.

## Identifying Documentation Sets

---

Every documentation set needs to include an `Info.plist` file that identifies the documentation set.

You can create the `Info.plist` file manually, using the Property List Editor application (<Xcode>/Applications/Utilities), or programmatically, using the `NSDictionary` Cocoa class. This section assumes that you create the `Info.plist` file using Property List Editor.

When you launch Property List Editor, it automatically creates a file for you. To get started, click New Root. Once you have added a root element to your property list, you can add new items by clicking New Child or New Sibling, depending on the currently selected item.


The `Info.plist` file follows the standard Mac OS X conventions for property list files, described in *Runtime Configuration Guidelines*.

The property list keys that are relevant to documentation sets are described in “[Documentation-Set Property List Key Reference](#)” (page 73). However, in order for Xcode to properly recognize your documentation set, you must provide values for the following three keys in your `Info.plist` file:

- **DocSetFeedName.** Specifies the name of the *documentation feed* to which the documentation set belongs.

A **documentation feed** provides an umbrella under which multiple documentation sets from a single provider (such as a company or product suite) can be grouped. For example, the feed name for Apple’s developer documentation is “Apple.” All documentation sets provided as part of Apple’s developer documentation are grouped under this feed in the Xcode Documentation window, as shown in Figure 3-1.

**Figure 3-1** Documentation sets grouped by feed



Documentation sets that have the same documentation feed URL—specified by the “[DocSetFeedURL](#)” (page 75) key—are grouped together under the same feed name. If no feed URL is specified, the feed name is used to group documentation sets.

- **CFBundleName.** Specifies the name of the documentation set, as it appears under the feed name in the Documentation window.
- **CFBundleIdentifier.** A string that uniquely identifies the documentation set bundle. This should be a reverse domain-name style string. For example, `com.mycompany.MyDocSet`.


Xcode uses this identifier to match an installed documentation set bundle to an entry in the Atom feed specified by the “[DocSetFeedURL](#)” (page 75) key. This value is assumed to be unique. As it searches for documentation sets on a user’s file system, Xcode loads only sets with identifiers it hasn’t loaded before. Therefore, if there are more than one documentation sets with the same bundle identifier on a user’s file system, only one of them (the first one found) is loaded.

A minimal `Info.plist` file might look like that shown in Listing 3-1; you can get output like this by using the Property List Editor Dump command.

**Listing 3-1** A minimal `Info.plist` file

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE plist PUBLIC "-//Apple Computer//DTD PLIST 1.0//EN"
"http://www.apple.com/DTDs/PropertyList-1.0.dtd">
<plist version="1.0">
<dict>
  <key>CFBundleName</key>
  <string>My Product Documentation</string>
  <key>CFBundleIdentifier</key>
  <string>com.mycompany.MyProduct.docset</string>
  <key>DocSetFeedName</key>
  <string>My Company Name</string>
</dict>
</plist>
```

When you are done creating the `Info.plist` file, place it in the documentation set bundle directly inside the `Contents` directory, as shown in Figure 3-2.

**Figure 3-2** Placement of the `Info.plist` file

## Describing Documentation Sets

---

To generate the necessary index files for your documentation set using the `docsetutil` tool, you must include a single nodes file (`Nodes.xml`). The **nodes file** describes the hierarchical structure of the documentation set. It defines:

- The table of contents that users see in the browser view of the Xcode Documentation window.
- Relationships between entries in the documentation set hierarchy.

The structure of a documentation set consists of one or more documentation nodes, each represented by a `Node` element. This section describes documentation nodes and shows how to construct a node definition. It then goes on to describe how to build a table of contents from one or more nodes. Finally, this section shows how to create a library of node definitions, independent of the structure of the table of contents, and reference those nodes.

**Note:** You can use most any tool qualified to generate and manipulate XML to create the `Nodes.xml` file.

## Defining a Documentation Node

---

A **documentation node** represents a single entry in the document hierarchy of the documentation set and, thus, a single entry in the documentation set list in the Xcode Documentation window. A documentation node may contain a list of other documentation nodes, or subnodes, which appear below it in the document hierarchy. These lists of subnodes recursively define the structure of the documentation set.

A documentation node corresponds to a documentation file or a folder of files within the documentation set. Each documentation node is associated with a location that identifies the file to display when the user selects that node in the Documentation window [Figure 1-1](#) (page 14).

A single documentation node is represented by the `Node` element. The key information provided by the `Node` element includes:

- The name of the documentation node.
- The type of the documentation node. If you do not explicitly specify the type of the node, Xcode assumes a default value.
- The location of the file or files that the node represents. The location tells Xcode what file to load when the user selects the documentation node and tells `docsetutil` which files to index.

The `Node` element also lists the documentation node's subnodes, if any. In addition, if you want to reference the node from elsewhere in the documentation set, you can assign a unique identifier to that node. The following sections show how to define a node element and specify its name, type, and location.

## Naming a Documentation Node

---

Every documentation node must have a name, which is used to display the node in the Documentation window. To specify the name of a documentation node, use the `Name` element, as shown in Listing 3-2. The `Name` element is required.

### Listing 3-2 Assigning a name to a node

```
<Node>
  <Name>A Documentation Node</Name>
</Node>
```

## Specifying the Type of the Node

---

The type of the node tells Xcode and the indexing tool whether the node represents a single file or a folder of files.

There are three types of documentation nodes:

- **File nodes** represent a single file in the documentation set.
- **Folder nodes** represent a folder or folder hierarchy of documentation files.
- **Bundle nodes** represent a bundle-style folder hierarchy following the conventions of the `CFBundle` opaque type, described in *Bundle Programming Guide*. In this folder hierarchy, documentation content may be localized into multiple languages.

The type of a node determines how the node location is interpreted and how the documentation files at that location are indexed for full-text search by the `docsetutil` tool.

**Note:** A node can represent a single HTML file, a single PDF file, or a folder of HTML files. It cannot represent a mix of the two.

You specify the type of a documentation node using the `type` attribute of the `Node` element. For example, Listing 3-3 shows how you might specify the type of a node representing a folder of files that comprise a single document in a documentation set.

### Listing 3-3 Specifying the type of a node

```
<Node type="folder">
  <Name>My Document</Name>
</Node>
```

The `type` attribute is optional. If you do not specify the type of a node, it is assumed to be a file node.

## Assigning an ID to a Node

---

As mentioned earlier, after you have defined a documentation node, you can reference that node from other locations in your `Nodes.xml` file or, if you choose to support API lookup, from a token definition in the tokens file, as described in [“Supporting API Lookup in Documentation Sets”](#) (page 37).

If you want to reference a given documentation node, however, you must assign that node a unique identifier. You assign an ID to a node using the `id` attribute of the `Node` element. The value assigned to this attribute can be any 32-bit integer value; however, it must be unique within the `Nodes.xml` file.

```
<Node id="5">
  <Name>A Documentation Node</Name>
</Node>
```

## Specifying the Location of a Documentation Node

---

One of the most important pieces of information associated with a documentation node is the location of the documentation represented by that node. A documentation node’s location tells Xcode and `docsetutil`:

- What page to load and display when the user selects the node, either in the browser view or from a list of search results
- Which file or files to index and include when performing full-text searches

The location of a documentation node consists of several parts, each of which is represented by its own element inside the `Node` element. The parts of a node’s location are:

- **URL:** The **base URL** of the node. Use this element to specify an alternate location for nodes whose documentation files reside on the web, instead of in the installed documentation set bundle or the documentation set’s *fallback web location* (see [“Downloading and Indexing Web Content”](#) (page 50)).

You do not need to explicitly specify a URL. If you do not, the base URL for the node is assumed to be the `Documents` directory of the documentation set bundle.

- **Path:** The **path** to the page to display when the user selects the node or to the folder containing that page. This path is interpreted relative to the node’s base URL.

For bundle nodes, the path identifies the bundle folder.

- **File:** The **filename** of the file to display when the user selects the node. Xcode and `docsetutil` look for this file at the location specified by the node’s base URL and path, if any.

For bundle nodes, Xcode resolves this filename against the localizations available in the bundle associated with the node.

- **Anchor:** An optional **anchor** within the specified HTML file. When loading the node’s landing page, Xcode scrolls to the location of this anchor.

When the user selects a node in the Xcode documentation window, Xcode looks up the node and attempts to locate the file specified by that node. For file and folder nodes, Xcode attempts to load the page at `<url>/<path>/<filename>`. If no URL is explicitly specified, Xcode uses the default base URL—the Documents folder of the current documentation set. Either `<path>` or `<file>` or both may be empty, indicating that no `Path` or `File` element, respectively, exists for the node.

For bundle nodes, Xcode looks for the bundle at `<url>/<path>`. To find the file to load, it resolves the contents of the `File` element against the locations available within that bundle. For more information, see [“Localizing Individual Documents”](#) (page 51).

**Note:** A node can specify a PDF file, instead of an HTML file, as its landing page. If it does so, however, only that PDF file is indexed, regardless of the node’s type.

In addition to specifying the node landing page, the node location also specifies which file or files the `docsetutil` indexing tool indexes for full-text searches. The `docsetutil` tool interprets the node location differently, based on the type of the node:

- For file nodes, `docsetutil` indexes only the single file to which the node points—the node landing page.
- For folder nodes, `docsetutil` recursively searches for and indexes all HTML files within the folder pointed to by the node. The `docsetutil` tool assumes that this folder is at `<url>/<path>`. Again, if no base URL is explicitly specified, `docsetutil` uses the default value. If no path is specified, `<path>` is empty.
- For bundle nodes, `docsetutil` identifies all localized versions of the node’s landing page inside the bundle at `<url>/<path>`. It indexes each directory of localized content inside this bundle.

**Note:** In each case `docsetutil` skips any HTML files that contain the `NOINDEX` meta tag. For example:

```
<meta name="ROBOTS" content="NOINDEX">
```

**Important:** The sets of documentation files represented by two separate documentation nodes must not overlap. For example, given a documentation node that represents a folder of HTML files, you must not define another documentation node to represent a file within that folder. The `docsetutil` tool cannot handle overlapping nodes.

To illustrate some of the ways in which you might describe a node’s location, imagine a fictional documentation set with the following contents:

**Listing 3-4** Structure of a fictional documentation set

```
com.mycompany.MyProduct.docset
  Contents
    Resources
      Documents
        MyApplication
          index.html
          Tutorial
          ReleaseNotes.html
          UserGuide
            Contents
```

```

Resources
  en.lproj
  ja.lproj
QuickReference.pdf // Remote node

```

This documentation set contains four documents, each of which must be represented by a documentation node. These nodes are:

- Tutorial is a folder node. This directory contains the HTML files for a single document.
- ReleaseNotes.html is a file node.
- UserGuide is a bundle node.
- QuickReference.pdf is a node whose file resides on the web.

Listing 3-5 shows how you might describe the node representing the content in the Tutorial directory.

**Listing 3-5** A folder node

```

<Node id="3" type="folder">
  <Name>Tutorial</Name>
  <Path>MyApplication/Tutorial</Path>
  <File>index.html</File>
</Node>

```

This node uses the Path element to specify the path to the folder containing the document's files. As no URL is specified, this path is interpreted relative to the documentation set's Documents directory. The File element indicates that the landing page for the documentation node—that is, the page that Xcode loads when the user selects this node—is a file named index.html inside the Tutorial directory. When docsetutil is run, this file and all other HTML files inside of the Tutorial directory are indexed for full-text search.

The user guide in the example documentation set is localized. You can represent this in the Nodes.xml file by creating a bundle node. The Node element describing the user guide might look something like that shown in Listing 3-6.

**Listing 3-6** A bundle node

```

<Node id="2" type="bundle">
  <Name>User Guide</Name>
  <Path>MyApplication/UserGuide</Path>
  <File>index.html</File>
</Node>

```

**Note:** This example shows a single localized documentation node within a documentation set. The entire documentation set itself can also be localized.

In this case, the Path element specifies only the path to the directory that contains the localized bundle structure; that is, it contains the path to the UserGuide directory. This directory's hierarchy must follow the CFBundle opaque type conventions described in *Bundle Programming Guide*.

The `File` element specifies the landing page to load, `index.html`. However, when the user accesses the documentation node that represents the user guide document, the actual file that Xcode displays depends on the user's language preferences. If, for example, the user's primary language is Japanese, Xcode looks for a file named `index.html` inside the `ja.lproj` directory.

The next node represents a single document, the `ReleaseNotes.html` file shown in [Listing 3-4](#) (page 28). One way to describe this node is shown in [Listing 3-7](#).

**Listing 3-7** A file node

```
<Node id="4">
  <Name>Release Notes</Name>
  <Path>MyApplication</Path>
  <File>ReleaseNotes.html</File>
</Node>
```

Because the type of the node is not explicitly declared, it is assumed to be a file node. This means that only the file at `MyApplication/ReleaseNotes.html`, as specified by the `Path` and `File` elements, is indexed. Alternatively, you can simply use the `Path` element to specify the entire path to the file, as shown in [Listing 3-8](#).

**Listing 3-8** Another way to describe a file node

```
<Node id="4">
  <Name>Release Notes</Name>
  <Path>MyApplication/ReleaseNotes.html</Path>
</Node>
```

Documentation sets can include nodes whose files reside outside the installed documentation set bundle. This allows you to install a smaller subset of files onto the user's file system and still be able to access the other files.

As mentioned earlier, the `QuickReference.pdf` file in [Listing 3-4](#) (page 28) is not actually present in the installed documentation set bundle on the user's file system but exists on the company's website. A node representing this file would look similar to that shown in [Listing 3-9](#).

**Listing 3-9** A node with web-based content

```
<Node id="6">
  <Name>My Application Quick Reference</Name>
  <URL>http://mycompany.com/Documentation/pdfs/QuickReference.pdf</URL>
</Node>
```

Here, the `URL` element specifies an alternate path for a PDF file that lives on the company's website.

## Specifying Subnodes

---

Every node can have a list of **subnodes**, which are nodes that appear beneath the current node in the document hierarchy. For example, the fictional documentation set introduced in ["Specifying the Location of a Documentation Node"](#) (page 27) has four documents that describe the same application. Each of those documents is represented by a node. Assuming that they are grouped together and appear beneath the same entry in the table of contents, those nodes are subnodes of the node representing the application.

Use the `Subnodes` element to specify a node's list of subnodes. The `Subnodes` element contains one or more nodes, represented by a `Node` (or `NodeRef`) element. Listing 3-10 shows how the node representing the entry for My Application might appear; all the documents in this category appear as subnodes of that node.

**Listing 3-10** Specifying subnodes

```
<Node>
  <Name>My Application</Name>
  <Path>MyApplication</Path>
  <File>index.html</File>
  <Subnodes>
    <Node id="2" type="bundle">
      <Name>User Guide</Name>
      <Path>MyApplication/UserGuide</Path>
      <File>index.html</File>
    </Node>
    <Node id="4">
      <Name>Release Notes</Name>
      <Path>MyApplication/ReleaseNotes.html</Path>
    </Node>
    <Node id="3" type="folder">
      <Name>Tutorial</Name>
      <Path>MyApplication/Tutorial</Path>
      <File>index.html</File>
    </Node>
    <Node id="6">
      <Name>My Application Quick Reference</Name>
      <URL>http://mycompany.com/Documentation/pdfs/QuickReference.pdf</URL>
    </Node>
  </Subnodes>
</Node>
```

Each of the documentation nodes in the `Subnodes` element can itself contain a list of subnodes.

## Constructing a Table of Contents

---

The primary purpose of the `Nodes.xml` file is to define the structure of the documentation set. In particular, the nodes file specifies the table of contents that users see in the Documentation window when browsing your documentation set. Previous sections show how to construct a documentation node using the `Node` element; this section describes how to turn a node definition into a table of contents.

The table of contents is represented by the `TOC` element. The `TOC` element contains a single `Node` element—that is, a single documentation node—which represents the root node of the documentation set. The root node represents the topmost entry for the documentation set, appearing under the documentation feed in the Documentation window.

The root node contains a list of its subnodes. As you saw in [“Specifying Subnodes”](#) (page 30), each of these subnodes can have its own list of subnodes. In this way, you can recursively define the documentation set's table of contents. Listing 3-11 shows how the table of contents for the fictional documentation set introduced in [“Specifying the Location of a Documentation Node”](#) (page 27) might look.

**Listing 3-11** Building a table of contents

```

<TOC>
  <Node>
    <Name>My Documentation Set</Name>
    <File>index.html</File>
    <Subnodes>
      <Node>
        <Name>My Application</Name>
        <Path>MyApplication</Path>
        <File>index.html</File>
        <Subnodes>
          <Node id="2" type="bundle">
            <Name>User Guide</Name>
            <Path>MyApplication/UserGuide</Path>
            <File>index.html</File>
          </Node>
          ...
          <!--Remaining node definitions here--!>
          ...
        </Subnodes>
      </Node>
    </Subnodes>
  </TOC>

```

## Referencing Documentation Nodes

---

After you've defined a documentation node in the `Nodes.xml` file, you can reference that node. You can use a node reference to:

- Make a single node or document appear multiple times in the documentation set's document hierarchy. Apple uses this feature to assign a document to multiple locations within the Reference Library.
- Easily import nodes into the table of contents. As described in [“Creating a Library of Node Definitions”](#) (page 33), you can create a collection of node definitions, independent of the table of contents. You can do the work of defining a documentation node once and simply link to it when constructing the document hierarchy that you present to the user. This makes it easy to make changes to the structure that the user sees.
- Associate documentation nodes with symbols in the `Tokens.xml` file.

A node reference is represented by a `NodeRef` element. This element has a single required attribute, `refid`, which is the unique identifier assigned to the referenced node. Thus, to reference a documentation node, you must have already assigned a value to the `id` attribute of the `Node` element representing that node's defining instance. [Listing 3-12](#) (page 33) shows an example of a `NodeRef` definition.

## Creating a Library of Node Definitions

---

In addition to the required table of contents, the `Nodes.xml` file can contain a collection, or library, of node definitions that exist independently of the document hierarchy presented to the user. Having a separate library of documentation nodes makes it easy to make changes to your documentation set's table of contents. Particularly for large documentation sets, it is often easier to define documentation nodes in the library section of the `Nodes.xml` file, and then quickly construct or alter the structure in the table of contents (the `TOC` element) by referencing the nodes you've already defined.

Use the `Library` element to create a **node definition library**. The `Library` element appears after the `TOC` element in the `Nodes.xml` file and contains one or more `Node` elements. For example, you can rewrite the `Nodes.xml` file for the documentation set introduced in [“Specifying the Location of a Documentation Node”](#) (page 27) so that the nodes representing the set's documents are defined in the library, and the table of contents simply references those nodes. Listing 3-12 illustrates this configuration.

### Listing 3-12 Creating a library of nodes

```
<TOC>
  <Node>
    <Name>My Documentation Set</Name>
    <File>index.html</File>
    <Subnodes>
      <Node>
        <Name>My Application</Name>
        <Path>MyApplication</Path>
        <File>index.html</File>
        <Subnodes>
          <NodeRef refid="2"/>
          <NodeRef refid="4"/> <!-- instead of defining node here, simply
reference library definition -->
          <NodeRef refid="3"/>
          <NodeRef refid="6"/>
        </Subnodes>
      </Node>
    </Subnodes>
  </Node>
</TOC>
<Library>
  <Node id="2" type="bundle">
    <Name>User Guide</Name>
    <Path>MyApplication/UserGuide</Path>
    <File>index.html</File>
  </Node>
  <Node id="4"> <!-- Definition of referenced node -->
    <Name>Release Notes</Name>
    <Path>MyApplication/ReleaseNotes.html</Path>
  </Node>
  <Node id="3" type="folder">
    <Name>Tutorial</Name>
    <Path>MyApplication/Tutorial</Path>
    <File>index.html</File>
  </Node>
  <Node id="6">
    <Name>My Application Quick Reference</Name>
```

```

    <URL>http://mycompany.com/Documentation/pdfs/QuickReference.pdf</URL>
  </Node>
</Library>

```

## Minimal Nodes.xml File Example

---

A documentation set must contain a `Nodes.xml` file with at least one node, the *root node*. The root node represents the topmost entry for the documentation set, appearing under the documentation feed in the Documentation window. Listing 3-13 shows an example of such a file.

**Listing 3-13** A minimal `Nodes.xml` file

```

<?xml version="1.0" encoding="UTF-8"?>
<DocSetNodes version="1.0">    <!-- Root element -->
  <TOC>
    <Node type="folder">    <!-- Root node -->
      <Name>Root</Name>
      <Path>index.html</Path>
    </Node>
  </TOC>
</DocSetNodes>

```

A `Nodes.xml` file such as that shown in Listing 3-13 is sufficient, along with a minimal `Info.plist` file like that shown in Listing 3-1 (page 24) and a full set of documentation files, to build a documentation set that can be loaded by the Documentation window and that supports full-text search of its HTML-based documentation.

The root element of the `Nodes.xml` file is the `DocSetNodes` element. This element in turn contains a single `TOC` element, which describes the table of contents displayed in the Documentation window. The `TOC` element must have a single `Node` (or `NodeRef`) element as its child. This element defines the topmost entry of the documentation set.

## Expanded Nodes.xml File Example

---

Expanding on the documentation set example shown in Listing 3-4 (page 28), imagine that that documentation set also includes documentation for an accompanying framework that exports an API for interfacing with your company's application. Listing 3-14 shows these documents and their accompanying HTML files.

**Listing 3-14** An expanded documentation set

```

com.mycompany.MyDocSet.docset
  Contents
    Resources
      Documents
        index.html
        My Application
        ...
        My Framework
        index.html
        Reference
        Overview

```

Imagine that the documentation set provider wants to show the structure in Listing 3-15 in the Xcode documentation window.

**Listing 3-15** A table of contents for the expanded documentation set

```
My Documentation Set
  My Application
    User Guide
    Release Notes
    Tutorial
    User Interface Quick Reference
  My Framework
    Overview
    Reference
```

Each entry in the documentation set's table of contents must have a corresponding node definition in the `Nodes.xml` file. In addition to the nodes for the `My Application` entry and its accompanying documents, described in [“Specifying the Location of a Documentation Node”](#) (page 27) and [“Specifying Subnodes”](#) (page 30), the `Nodes.xml` file must include the following nodes:

- **My Documentation Set:** The root node of the documentation set.
- **My Framework:** Umbrella group for documents targeted at readers using the corresponding framework to interface with the application. It is also a file node which corresponds to a single HTML file.
- **Overview:** file node that corresponds to a single HTML file.
- **Reference:** Folder node that corresponds to a folder of HTML files that comprise a single document.

Listing 3-16 shows how the entire `Nodes.xml` file for the expanded documentation set might look.

**Listing 3-16** An expanded `Nodes.xml` file

```
<?xml version="1.0" encoding="UTF-8"?>
<DocSetNodes version="1.0">
  <TOC>
    <Node>
      <Name>My Documentation Set</Name>
      <File>index.html</File>
      <Subnodes>
        <Node>
          <Name>My Application</Name>
          <Path>MyApplication</Path>
          <File>index.html</File>
          <Subnodes>
            <Node id="2" type="bundle">
              <Name>User Guide</Name>
              <Path>MyApplication/UserGuide</Path>
              <File>index.html</File>
            </Node>
            <Node id="4">
              <Name>Release Notes</Name>
              <Path>MyApplication/ReleaseNotes.html</Path>
            </Node>
            <NodeRef refid="3"/>
            <NodeRef refid="6"/>
          </Subnodes>
        </Node>
      </Subnodes>
    </Node>
  </TOC>
</DocSetNodes>
```

```

        </Node>
        <Node>
            <Name>My Framework</Name>
            <Path>MyFramework</Path>
            <File>index.html</File>
            <Subnodes>
                <NodeRef refid="7"/>
                <NodeRef refid="5"/>
            </Subnodes>
        </Node>
    </Subnodes>
</Node>
</TOC>
<Library>
    <Node id="3" type="folder">
        <Name>Tutorial</Name>
        <Path>MyApplication/Tutorial</Path>
        <File>index.html</File>
    </Node>
    <Node id="6">
        <Name>My Application Quick Reference</Name>
        <URL>http://mycompany.com/Documentation/pdfs/QuickReference.pdf</URL>
    </Node>
    <Node id="5" type="folder">
        <Name>Reference</Name>
        <Path>MyFramework/Reference</Path>
        <File>index.html</File>
    </Node>
    <Node id="7" type="file">
        <Name>Overview</Name>
        <Path>MyFramework/Overview</Path>
        <File>index.html</File>
    </Node>
</Library>
</DocSetNodes>

```

The table of contents, represented by the `TOC` element, contains the root node representing the documentation set. This root node has two subnodes, representing the table of contents entries for My Application and My Framework. Each of these two nodes in turn have their own lists of subnodes, which represent the documents in those categories.

In this case, the nodes representing the *Tutorial*, *Quick Reference*, and both of the framework-related documents are defined in the `Library` element and simply imported into the table of contents using node references (represented by the `NodeRef` element). This makes it easy for the documentation provider to rearrange the table of contents without having to move or modify the canonical definition of these nodes.

# Supporting API Lookup in Documentation Sets

---

One of the key features of the Xcode Documentation window is *fast API search*, the ability to quickly filter large lists of API symbols to find a particular symbol and its associated documentation. If your documentation set contains reference documentation for API symbols or other tokens, you can support fast API lookup for that documentation set by including one or more `Tokens.xml` files.

The *tokens file* associates symbols or tokens with their primary reference documentation. It supports fast API lookup and enables documentation access shortcuts from the code editor, such as:

- Option-double-click to jump to the documentation for the currently selected symbol
- Access to essential information about the symbol—such as availability, a summary description, and so forth—through the Research Assistant

Documentation sets can have more than one tokens file; however, if a documentation set lacks a tokens file, Xcode supports only browsing and full-text searches in the Documentation window for that documentation set—fast API search is disabled.

A tokens file consists of a series of token definitions. Each token definition represents information about a single symbol. This chapter shows how to create a token definition to describe a symbol for lookup, how to provide information about that symbol for use with the Research Assistant, and how to organize large numbers of token definitions.

**Note:** You can use any tool capable of generating and manipulating XML code to create the tokens file.

## Defining a Symbol for Lookup

---

You associate a symbol with its reference documentation using the `Token` element. Because this element represents a single token definition, you can think of it as the building block of the tokens file. A **token** includes:

- A unique identifier representing the symbol described by the `Token` element
- The location of the symbol's primary reference documentation
- Summary information about the symbol (for display in the Research Assistant)
- Information about documents and symbols related to the symbol

This section shows how to define a token using the `Token` element.

## Identifying Symbols

---

Every symbol that you describe in a tokens file must have a unique identifier, known as a **token identifier**. The information that uniquely identifies a symbol is the symbol's name, type (function, method, and so forth), scope, and language (C, C++, Objective-C, and so forth). There are two ways to specify a token identifier:

- By specifying each of the symbol's properties individually
- Using an identifier that conforms to the standard described in “Symbol Markers for HTML-Based Documentation” in *HeaderDoc User Guide*

**Note:** These strings are informally known as **apple\_ref** strings, because they begin with the prefix `//apple_ref`.

A token identifier is represented by the `TokenIdentifier` element. This element can contain either a combination of child elements—if you choose to identify the symbol by its individual properties—or a single string, if you choose to use the `apple_ref` convention to identify the symbol. These methods are described in greater detail in the following sections.

### Defining Tokens Using Individual Properties

---

One way to specify a token identifier is to list the symbol's identifying properties—name, type, language, and scope—as individual subelements within the `TokenIdentifier` element.

**Note:** The format described in this section is essentially a decomposed version of the `apple_ref` format described in “[Defining Tokens Using apple\\_ref Identifiers](#)” (page 39).

Use the following subelements of the `TokenIdentifier` element to specify each of the symbol's identifying properties separately:

- **Name.** The name of the symbol. This is required information.
- **APILanguage.** This is the programming language to which the symbol applies. Use this element only if your tokens file represents an API symbol.

Apple defines a small number of values, described in “HeaderDoc Release Notes,” for common languages. However, you can use any arbitrary string in this element. If you have symbols belonging to languages that are not covered by this specification, please contact Apple, so that Apple can define a value for that language that everyone can use.
- **Type.** The type—such as function, method, class, and so forth—of the symbol. Acceptable values are described in “Symbol Markers for HTML-Based Documentation.” Arbitrary values are not allowed.
- **Scope.** The name of a namespace or container to which the symbol belongs. For example, the scope for most API symbols in object-oriented languages is the class or protocol in which the symbol is defined. API symbols that exist in a global namespace, such as data types or classes, do not have a scope.

For example, Listing 4-1 shows how you might construct the token identifier for the `NSArray` method `arrayWithContentsOfFile:` by listing each of its properties separately.

**Listing 4-1** Specifying a token identifier with individual properties

```
<Token>
  <TokenIdentifier>
    <Name>arrayWithContentsOfFile:</Name>
    <APILanguage>occ</APILanguage>
    <Type>clm</Type>
    <Scope>NSArray</Scope>
  </TokenIdentifier>
</Token>
```

The contents of the token identifier for the `arrayWithContentsOfFile:` method are:

1. The **Name** element: Specifies the name of the method described by this token identifier, `arrayWithContentsOfFile:`.
2. The **APILanguage** element: Contains the string `occ`, which represents the Objective-C language, as defined in *HeaderDoc User Guide*.
3. The **Type** element: Contains the string, `clm`, which identifies the `arrayWithContentsOfFile:` symbol as a class method. This and other values for the **Type** element are defined in *HeaderDoc User Guide*.
4. The **Scope** element: Indicates that the scope of the `arrayWithContentsOfFile:` method is the `NSArray` class.

## Defining Tokens Using `apple_ref` Identifiers

---

Another way to specify the token identifier for a symbol is to use a unique string that conforms to the specification in “Symbol Markers for HTML-Based Documentation” in *HeaderDoc User Guide*. These strings are known as **apple\_ref** strings, because they begin with the prefix `//apple_ref`.

As with the technique described in “Defining Tokens Using Individual Properties” (page 38), an `apple_ref` string also uniquely identifies a symbol by listing the symbol’s name, programmatic type, and programming language context. Where appropriate, you can also specify the symbol’s containing scope, such as the name of the class in which a method is found.

Apple uses `apple_ref` strings in its own documentation sets to uniquely identify a symbol and mark the location of the symbol’s primary documentation. For example, the primary documentation for the `OpenMovieStorage` C function is marked by embedding the associated `apple_ref` string as a named anchor in the HTML files, as in the following example:

```
<a name="//apple_ref/c/func/OpenMovieStorage">OpenMovieStorage</a>
```

You can use the `apple_ref` format to specify token identifiers in the `Tokens.xml` file. Using the `arrayWithContentsOfFile:` method as an example again, you would specify an `apple_ref` identifier as shown in Listing 4-2.

**Listing 4-2** Specifying a token identifier using an `apple_ref` string

```
<Token>
```

```
<TokenIdentifier>//apple_ref/occ/clm/NSArray/arrayWithContentsOfFile:</TokenIdentifier>
</Token>
```

## Associating Symbols with API Reference Documentation

---

The purpose of the tokens file is to associate symbols with a location within the documentation set. Therefore, after you have constructed a token identifier to uniquely identify a symbol, you need to specify the location of that symbol's documentation.

To associate a token with a location, you:

1. identify the node that represents the symbol's documentation using the `NodeRef` element.

This is useful when you've already defined a node that represents only the HTML files containing the symbol's documentation.

2. Specify the path to the HTML file containing the symbol's documentation, using the `Path` and `Anchor` elements, if the referenced node represents multiple symbols.

**Note:** If you have a large documentation set in which multiple symbols are documented in a single HTML file, it can be redundant to list the location for each symbol separately. In this case, you can group the token definitions for all symbols that are documented in a single HTML file. In this way, you have to specify the location of the file only once. For more information, see [“Grouping Tokens by File”](#) (page 45).

Listing 4-3 shows how you might use the `NodeRef` element to specify the location of a symbol's documentation.

### Listing 4-3 Referencing the documentation node for a token

```
<Token>
<TokenIdentifier>//apple_ref/occ/instm/NSArray/initWithArray:copyItems:</TokenIdentifier>
<NodeRef refid="22">
</Token>
```

The `refid` attribute of the `NodeRef` element identifies the documentation node that you are referencing. The value of this attribute should correspond to the value assigned to the target node's `id` attribute in the `Nodes.xml` file. This attribute is described further in [“Defining a Documentation Node”](#) (page 25).

When referring to nodes that represent multiple symbols, you need to identify the HTML file that contains the symbol's documentation using the `Path` and, if necessary, `Anchor` elements. The path specified is interpreted relative to the documentation set's `Documents` directory. Listing 4-4 shows how you might specify the path to the documentation for the `NSArray` instance method `initWithArray:copyItems:`. In this example, the `Anchor` element specifies the location of an anchor marking the beginning of the symbol's description.

### Listing 4-4 Specifying the path to a symbol's documentation

```
<Token>
<TokenIdentifier>//apple_ref/occ/instm/NSArray/initWithArray:copyItems:</TokenIdentifier>
<NodeRef refid="15"/>
```

```
<Path>documentation/Cocoa/Reference/NSArray.html</Path>
<Anchor>initWithArray:copyItems:</Anchor>
</Token>
```

## Providing Additional Information About a Symbol

---

One of the compelling features of Xcode’s documentation integration is the ability to provide context-sensitive information. The Research Assistant is one example of this ability. The user can select a symbol in the code editor and see additional information about that symbol in the Research Assistant.

If your documentation set includes a `Tokens.xml` file to support API lookup, you can also supply additional information about the tokens described therein, to allow you to take full advantage of features such as the Research Assistant.

The `Token` element allows a number of subelements that let you provide additional information—such as a declaration statement, version information and so forth—for a symbol. These are described in further detail in the following sections.

### Symbol Abstract and Declaration

---

Documentation users commonly want access to the declaration statement for a symbol and a brief summary of what that symbol does when they are actively coding. You can provide this information for a token using the `Declaration` and `Abstract` elements, respectively.

Listing 4-5 shows how you might use these elements to provide additional information about the `NSArray count` method.

**Listing 4-5** Specifying a summary and declaration

```
<Token>
  <TokenIdentifier>//apple_ref/occ/instm/NSArray/count</TokenIdentifier>
  <Abstract>Returns the number of objects in the receiver.</Abstract>
  <Declaration>- (NSUInteger)count;</Declaration>
</Token>
```

### Header File Information

---

For tokens that represent an API symbol, you can provide information about the header in which the symbol is declared, using the `DeclaredIn` element. You specify header information using this element either by calling the components of the header location out explicitly or by specifying it as a path.

For symbols that are part of a framework, you can use the `HeaderPath` and `FrameworkName` subelements to explicitly call out the header file and framework name. Doing so allows Xcode to present the path to the symbol’s header file and the name of the framework that must be loaded to use the symbol as separate items.

Listing 4-6 shows how you would use this format to specify header file information for the `NSArray count` method.

**Listing 4-6** Specifying header file information for a symbol

```

<Token>
<TokenIdentifier>//apple_ref/occ/instm/NSArray/count</TokenIdentifier>
<DeclaredIn>
<HeaderPath>/System/Library/Frameworks/Foundation.framework/Headers/NSArray.h</HeaderPath>
<FrameworkName>Foundation</FrameworkName>
</DeclaredIn>
</Token>

```

Alternatively, you can specify the path to the header file as a string directly within the `DeclaredIn` element. For example, if you don't want to specify the framework name separately or the header file isn't contained in a framework, you can restate the header file information for the `count` method as follows:

```

<DeclaredIn>/System/Library/Frameworks/Foundation.framework/Headers/NSArray.h</DeclaredIn>

```

## Version Information

---

You can provide availability information for a symbol—that is, information about the versions of a software product in which the symbol appears—using the `Availability` element. With it, you can specify when the symbol was introduced, when it became deprecated, and when it was removed from later versions.

### Providing Version Information

---

You can specify version numbers using the following subelements of the `Availability` element:

- `IntroducedInVersion`. The first version of the product in which the symbol appears. This information is required.
- `DeprecatedInVersion`. For symbols whose use is no longer recommended, the first version of the product in which the use of the symbol is deprecated.
- `RemovedAfterVersion`. For symbols that have been removed from later versions of the product, the last version in which the symbol still appears.

For symbols that are deprecated or removed from the distribution, you can also provide a brief statement about that symbol's status and other symbols that the user should use instead, using the `DeprecationSummary` element.

Listing 4-7 shows how you might provide version information for a token.

**Listing 4-7** Specifying version information for a token

```

<Token>
  <TokenIdentifier>//apple_ref/occ/instm/NSArray/count</TokenIdentifier>
  <Availability distribution="Mac OS X">
    <IntroducedInVersion>10.0</IntroducedInVersion>
    <DeprecatedInVersion>11.7</DeprecatedInVersion>
    <RemovedAfterVersion>11.9</RemovedAfterVersion>
    <DeprecationSummary>Replaced by newCount method.</DeprecationSummary>
  </Availability>
</Token>

```

Notice that version numbers are specified in the form  $x.y.z$ , where  $x$ ,  $y$ , and  $z$  are integers:  $x$  specifies the major version number,  $y$  specifies the minor version number, and  $z$  specifies the maintenance version number. Only the major version number is required.

## Naming the Product to Which the Version Applies

---

You must provide the name of the product to which the version information applies, using the `distribution` attribute. In the example shown in [Listing 4-7](#) (page 42), the value of this attribute is “Mac OS X.” The `distribution` attribute is required.

## Specifying Version Information for Multiple Architectures

---

If you have symbols whose version information is different for specific architectures, you can use the following attributes to contextualize the information in any of the version number elements—`IntroducedInVersion`, `DeprecatedInVersion`, and `RemovedAfterVersion`—for that architecture:

- `cputype`. This can be either `ppc` for the PowerPC architecture or `i386` for the Intel architecture.
- `bitsize`. This can be either 32 or 64.

For example, imagine that the last version in which the `count` method appears differs for the PowerPC and Intel-based architectures. [Listing 4-8](#) shows how you might specify the version information for this method.

**Listing 4-8** Version information for multiple architectures

```
<Availability distribution="Mac OS X">
  <IntroducedInVersion>10.0</IntroducedInVersion>
  <RemovedAfterVersion cputype="ppc">11.8</RemovedAfterVersion>
  <RemovedAfterVersion cputype="i386">11.9</RemovedAfterVersion>
</Availability>
```

Note that, in this case, you have multiple instances of the version element within a single `Availability` element. In the absence of architecture-specific version information, the availability information applies to all architectures. For example, [Listing 4-8](#) specifies that the symbol was introduced in version 10.0 of the product for the `ppc32`, `ppc64`, `i386`, and `x86-64` architectures. After version 11.8 the symbol is not available for PowerPC architectures (both 32 bit and 64 bit). After version 11.9 the symbol is not available for any architecture.

## Related Symbols, Documents, and Sample Code

---

Another type of information that users commonly want quick access to is a list of related resources, which they can consult to obtain further information about the symbol in question. You can provide this information for a symbol, using the following subelements of the `Token` element:

- `RelatedTokens`. Use this element to provide a list of other symbols that the reader may want to look at along with the current one.

Each symbol in this list is identified using a `TokenIdentifier` element, as shown in [Listing 4-9](#), and should correspond to a token definition in this or another `tokens` file in the documentation set.

- `RelatedDocuments`. Use this element to provide a list of documents, other than the symbol's primary reference document, that give further information about or discussion of the current symbol.

You specify an individual document in this list by referencing that document's node, using the `NodeRef` element.

- `RelatedSampleCode`. Use this element to provide a list of documents containing examples and sample code that use the current symbol.

You specify an individual piece of sample code in this list by referencing that document's node, using the `NodeRef` element.

Listing 4-9 shows how you can use the elements described in this section to list related symbols and documents.

**Listing 4-9** Specifying related symbols and documents

```
<Token>
  <TokenIdentifier>//apple_ref/occ/instm/NSArray/count</TokenIdentifier>
  <RelatedTokens>
    <TokenIdentifier>//apple_ref/occ/instm/NSArray/capacity</TokenIdentifier>
    <TokenIdentifier>
      <Name>objectAtIndex:</Name>
      <Scope>NSArray</Scope>
    </TokenIdentifier>
  </RelatedTokens>
  <RelatedDocuments>
    <NodeRef refid="17" />
  </RelatedDocuments>
  <RelatedSampleCode>
    <NodeRef refid="25" />
  </RelatedSampleCode>
</Token>
```

When using the `TokenIdentifier` element to reference an existing token, you need to specify only enough information to uniquely identify the token within your documentation set.

## Managing Symbol Information in Large Documentation Sets

---

For large documentation sets, the number of token definitions in the tokens file can become unwieldy. There are several strategies you can use to reduce the amount of redundant information and make the large number of token definitions more manageable. You can:

- **Group token definitions according to the HTML file in which their associated documentation appears.** If your documentation set organizes the primary reference documentation for more than one symbol into a single HTML file, you can use this technique to avoid specifying the location of that file multiple times.
- **Define master lists of interrelated tokens.** If you have a group of symbols, each of which is related to all the other symbols in the group, you can simply specify a single list of interrelated tokens, rather than defining the list separately for each symbol.

- **Split symbol information into more than one tokens file.** A documentation set can have multiple tokens files; this allows you to split large sets of token definitions into more manageable chunks. You can separate symbol information based on the type of the information, programming language, or any other category that you choose.

The following sections describe these techniques in more detail.

## Grouping Tokens by File

---

For documentation sets that document a large number of symbols, it often makes sense to combine the documentation for multiple symbols into a single HTML file. For example, you might group documentation for API symbols in an object-oriented language according to the class to which those symbols belong.

When you do this, however, you may find that you have to specify the location of an HTML file multiple times, once for each symbol documented in that file, if you use the approach described in [“Associating Symbols with API Reference Documentation”](#) (page 40).

To eliminate this redundant information, you can group symbols according to the file in which they appear. To do so, you wrap the token definitions—the `Token` elements—for each symbol described in a given HTML file within a single `File` element.

When you specify a token definition inside of a `File` element, you do not need to specify the location of the HTML file separately for each token. Instead, you specify the path to the HTML file once, using the `path` attribute of the `File` element, as shown in Listing 4-10.

**Listing 4-10** Grouping tokens by file

```
<File path="documentation/Cocoa/Reference/NSArray.html">
  <Token>
    <TokenIdentifier>//apple_ref/occ/cl/NSArray</TokenIdentifier>
  </Token>
  <Token>
    <TokenIdentifier>
      <Name>arrayWithContentsOfFile:</Name>
      <Type>clm</Type>
      <Scope>NSArray</Scope>
      <APILanguage>occ</APILanguage>
    </TokenIdentifier>
    <Anchor>arrayWithContentsOfFile:</Anchor>
  </Token>
  <Token>
    <TokenIdentifier>//apple_ref/occ/instm/NSArray/count</TokenIdentifier>
    <Anchor>count</Anchor>
  </Token>
</File>
```

To make sure that the Documentation window scrolls directly to the location of a symbol’s documentation when the user selects that symbol, you can specify an anchor location within the HTML file for that symbol’s token definition, using the `Anchor` element.

## Specifying Related Tokens

---

Although each symbol represented by a `Token` element can have its own list of related symbols, defining related symbols in this way only lets you specify a one-way relationship. The symbol described by the `Token` element is related to all of the symbols listed in the `RelatedTokens` subelement, but those symbols do not necessarily define the inverse relationship.

Often you will find that, for a given group of symbols dealing with a common area of functionality—hiding and showing a window, for example—the lists of related tokens for each symbol look very similar. If you list related tokens separately for each symbol in the group, you will end up repeating a lot of the same information more than once, bloating the tokens file and making the relationships hard to maintain.

You can instead take the simpler step of using the `RelatedTokens` element as a child of a `Tokens` element (the root of a tokens file) to create lists of interrelated symbols. Each symbol listed in this `RelatedTokens` element is related to all other symbols listed there. Listing 4-11 shows how you can use the `RelatedTokens` element as a subelement of the root element of the tokens file to specify a list of interrelated symbols.

**Listing 4-11** Creating a list of related tokens

```
<Tokens>
<RelatedTokens title="Array Creation">
<TokenIdentifier>//apple_ref/occ/instm/NSArray/initWithArray:copyItems:</TokenIdentifier>
<TokenIdentifier>//apple_ref/occ/clm/NSArray/arrayWithContentsOfFile:</TokenIdentifier>
</RelatedTokens>
...
</Tokens>
```

Using this technique, rather than defining a list of related symbols for each individual token, you can eliminate a great deal of redundant information for large groups of interrelated symbols.

## Using Multiple Tokens Files

---

A documentation set is not limited to a single tokens file. The number of symbols documented in a single documentation set is potentially very large. In addition, there is a wide variety of information (which may come from a number of different sources) that can be associated with each token. Allowing multiple tokens files makes it possible to split this information into more manageable chunks.

The `docsetutil` tool looks for and processes all available XML files that are located in the documentation set's `Resources` directory (or in the appropriate localized subfolder) and have names that start with the string "Tokens". For example, you could create tokens files that divide the definitions of tokens into groups based on their programming language. In this case, your documentation set might have `Tokens-C.xml` and `Tokens-Java.xml` files.

Another possible way to divide tokens is to gather various types of information about the tokens in separate files. For example, you could have a file of abstracts, `Tokens-abstracts.xml`, and a file of documentation locations, `Tokens-files.xml`.

When the information for a single token is split across multiple `Token` elements, within the same file or across different files, `docsetutil` attempts to merge all the information for a single token together. If every token is uniquely identified by its `TokenIdentifier` element, the information for each token can be merged successfully. If there are tokens with duplicate identifiers in the documentation set, however, information in the duplicate records may be assigned to the wrong token.

If there is a file named `Tokens.xml`, `docsetutil` always processes that file first, followed by the remaining XML files in a case-sensitive alphabetical order.

## Example Tokens.xml File

---

The previous sections show how to construct individual token definitions, group token definitions according to file, and create lists of related tokens. Your tokens file can contain any number of these items—that is, of `Token`, `File`, and `RelatedTokens` elements—in any order. Listing 4-12 gives an example of a tokens file containing at least one of each of these items and shows how you might assemble them to create a complete tokens file. Note that the root element of the tokens file is the `Tokens` element.

**Listing 4-12** An example tokens file

```
<?xml version="1.0" encoding="UTF-8"?>
<Tokens version="1.0"> <!-- Root element -->
<!-- The File element groups symbols that are documented in a common HTML file--!>
<File path="documentation/Cocoa/Reference/NSArray.html">
  <Token>
    <TokenIdentifier>//apple_ref/occ/cl/NSArray</TokenIdentifier>
  </Token>
  <Token>
    <TokenIdentifier>
      <Name>arrayWithContentsOfFile:</Name>
      <Type>clm</Type>
      <Scope>NSArray</Scope>
      <APILanguage>occ</APILanguage>
    </TokenIdentifier>
  </Token>
  <Token>
    <TokenIdentifier>//apple_ref/occ/instm/NSArray/count</TokenIdentifier>
    <Abstract>Returns the number of objects in the array.</Abstract>
    <Declaration>- (unsigned)count;</Declaration>
    <DeclaredIn>
      <HeaderPath>/System/Library/Frameworks/Foundation.framework/Headers/NSArray.h</HeaderPath>
      <FrameworkName>Foundation</FrameworkName>
    </DeclaredIn>
    <Availability distribution="Mac OS X">
      <IntroducedInVersion>10.0</IntroducedInVersion>
      <DeprecatedInVersion>11.7</DeprecatedInVersion>
      <RemovedAfterVersion>11.9</RemovedAfterVersion>
      <DeprecationSummary>Replaced by newCount method.</DeprecationSummary>
    </Availability>
    <RelatedTokens>
      <TokenIdentifier>//apple_ref/occ/instm/NSArray/capacity</TokenIdentifier>
      <TokenIdentifier>
        <Name>objectAtIndex:</Name>
        <Scope>NSArray</Scope>
      </TokenIdentifier>
    </RelatedTokens>
  </Token>
</File>
</Tokens>
```

```

    </TokenIdentifier>
  </RelatedTokens>
  <RelatedDocuments>
    <NodeRef refid="17" />
  </RelatedDocuments>
  <RelatedSampleCode>
    <NodeRef refid="25" />
  </RelatedSampleCode>
</Token>
</File>
<!-- You can also list token definitions individually, specifying a location
for each --!>
<Token>

<TokenIdentifier>//apple_ref/occ/instm/NSArray/initWithArray:copyItems:</TokenIdentifier>
  <Path>documentation/Cocoa/Reference/NSArray.html</Path>
  <Abstract>Initializes an instance from an array, optionally creating copies
of the objects.</Abstract>
  <Availability distribution="Mac OS X">
    <IntroducedInVersion>10.2</IntroducedInVersion>
  </Availability>
</Token>
<Token>

<TokenIdentifier>//apple_ref/occ/instm/NSArray/initWithContentsOfFile:</TokenIdentifier>
  <NodeRef refid="22">
  <Availability distribution="Mac OS X">
    <IntroducedInVersion>10.0</IntroducedInVersion/>
    <RemovedAfterVersion cputype="ppc">11.8</RemovedAfterVersion>
    <RemovedAfterVersion cputype="i386">11.9</RemovedAfterVersion>
  </Availability>
</Token>
<!-- If the same token identifier is used multiple times, the information in
the token definition is merged together --!>
<Token>

<TokenIdentifier>//apple_ref/occ/clm/NSArray/arrayWithContentsOfFile:</TokenIdentifier>
  <Availability distribution="Mac OS X">
    <IntroducedInVersion>10.0</IntroducedInVersion>
  </Availability>
</Token>
<!-- Instead of defining related symbols for each individual token, use the
RelatedTokens element at the root level to define a set of interrelated symbols
--!>
<RelatedTokens title="Array Creation">

<TokenIdentifier>//apple_ref/occ/instm/NSArray/initWithArray:copyItems:</TokenIdentifier>

<TokenIdentifier>//apple_ref/occ/clm/NSArray/arrayWithContentsOfFile:</TokenIdentifier>
</RelatedTokens>
</Tokens>

```

# Indexing Documentation Sets


To make the contents of your documentation set accessible and searchable in Xcode, you must index the documentation set using the `docsetutil` command-line tool. You can find the `docsetutil` tool in the Xcode directory at `<Xcode>/usr/bin` by default. This chapter describes the `docsetutil` tool and how to use it to generate indexes.

## Creating Indexes Using `docsetutil`

The `docsetutil` tool takes the information that you have provided about the structure and symbols in your documentation set and creates index files. These indexes are used by Xcode to search and access your documentation.

The `docsetutil` tool expects to find a `Nodes.xml` file and, if you support API lookup for your documentation set, one or more `Tokens.xml` files. Before you can index your documentation set, you must place these files inside the documentation set bundle. Figure 5-1 shows the structure of a typical documentation set bundle before running the indexing tool.

**Figure 5-1** A documentation set bundle before indexing



To create full-text and API indexes for a self-contained documentation set, run the `docsetutil` tool from the command line, using a command such as the following:

```
<Xcode>/usr/bin/docsetutil index com.mycompany.MyProduct.docset
```

The `docsetutil` tool loads the `Nodes.xml` and `Tokens.xml` XML metadata files and generates a full-text index (`docSet.skidx`) and an API and document data store (`docSet.dsidx`). It places the generated index files in the `Resources` folder of the documentation set bundle.

The `docsetutil` tool provides several options, which let you specify a localization for indexing, an alternate location for remote content, and so forth. For the full list of indexing options, see [“docsetutil Reference”](#) (page 69).

## Downloading and Indexing Web Content

---

If you have documentation set content located on the web, you must also index that content. The `docsetutil` tool provides options to help you index web content.

If you have specified a fallback web location for the entire documentation set bundle, using the `DocSetFallbackURL` property, you must index a local copy of the web content. Use the `-fallback` option to specify the location of the local copy of the web content. For example, the following command creates full-text and API indexes for a documentation set whose content resides in the documentation set bundle as well as on the web. The `CopyOfPublicWebsite` directory must correspond to the location indicated by the `DocSetFallbackURL` property in the documentation set's `Info.plist` file.

```
<Xcode>/usr/bin/docsetutil index com.mycompany.MyProduct.docset -fallback  
/Documents/CopyOfPublicWebsite
```

If `docsetutil` doesn't find the documentation for a node in the documentation set bundle, it looks in the location specified using the `-fallback` option. For more on specifying an alternate web location using the `DocSetFallbackURL` property, see [“DocSetFallbackURL”](#) (page 74).

If your documentation set contains individual nodes that specify an Internet address as the location of their landing page, use the `-download` option to have `docsetutil` download and index those landing pages. For example, the following command generates indexes for a documentation set, downloading any web-based nodes:

```
<Xcode>/usr/bin/docsetutil index -download com.mycompany.MyProduct.docset
```

For any node in the nodes file that specifies a web address using the `URL` element, `docsetutil` downloads the node's landing page and includes it in the index. The `docsetutil` tool downloads only the specified landing page. If the node is a folder or bundle node, `docsetutil` does not download the entire folder of documentation represented by the node.

# Internationalizing Documentation Sets

---

To internationalize a documentation set, you can localize all or part of the content in a documentation set bundle into more than one language. There are two ways to provide localized content in a documentation set:

1. For large documentation sets containing only a couple of internationalized documents, you can localize individual documentation nodes.
2. For documentation sets that have a larger percentage of their content internationalized, you can localize the whole documentation set bundle, including both the HTML files as well as the index files.

This chapter describes how to localize individual documents or the entire documentation set bundle. It also shows how to run `docsetutil` to create indexes for a particular locale. For information about product internationalization in Mac OS X, see *Internationalization Programming Topics*.


## Localizing Individual Documents

---

If you need to internationalize only one or two documents in your documentation set, it may make sense to localize the individual documentation nodes that represent these documents. You can do so by:

1. Creating a file bundle to contain the HTML files for the localized document.
2. Defining a bundle node to represent the document in the `Nodes.xml` file.

For example, a documentation set that contains several documents, of which only one is internationalized, may be organized as shown in Figure 6-1.

**Figure 6-1** Internationalized node in a documentation set

The internationalized document is available in Japanese and English; the `LocalizedDocument` directory uses the standard bundle conventions to organize two subdirectories containing the localized HTML files. The `en.lproj` directory contains the English language versions of the HTML-based documentation files and the `ja.lproj` directory contains the Japanese language version of these same files. See *Internationalization Programming Topics* for more information on the structure of internationalized bundles.

Once you have the bundle hierarchy established, you need to define a `Node` element to represent the internationalized bundle. Returning to the example documentation set in Figure 6-1, you can represent a node with this structure using a `Node` definition such as the one shown in Listing 6-1.

**Listing 6-1** An internationalized `Node` element

```
<Node type="bundle">
  <Name>My Internationalized Document</Name>
  <Path>InternationalizedDocument</Path>
  <File>file1.html</File>
</Node>
```

The `Path` element specifies the path—relative to the `Documents` directory in the documentation set—to the bundle containing the localized content. The `File` element specifies the name of the HTML file to load for that node; in this case, `file1.html`. When the user accesses the content represented by this node, Xcode determines which `.lproj` directory to load files from based on the user's preferred language, using the same process outlined in *Internationalization Programming Topics*.

When you index a documentation set with internationalized nodes, `docsetutil` indexes all available localizations for those nodes and includes that information in the `docSet.skidx` and `docSet.dsidx` files that it generates. If Xcode finds a search result in multiple localizations—that is, in localized versions of the same file—the Documentation window shows only the result corresponding to the user's preferred language. When the user browses the documentation set's table of contents and selects a localized node, Xcode loads the file for the user's preferred language.

## Localizing a Documentation Set Bundle

---

Because it is a standard Mac OS X bundle, you can use standard internationalization techniques to localize a documentation set bundle into one or more languages. Any of the documentation set resources can be localized, including the following:

- `Tokens.xml` files
- `Nodes.xml` file
- `Documents` directory
- Generated index files (`docSet.skidx` and `docSet.dsidx`)
- `Info.plist` property values

You can localize all of these resources, or just some of them. To localize a documentation set, you must:

1. Construct a standard localized bundle hierarchy.

The `Resources` directory in the documentation set can contain one or more locale-specific folders, named using the `<locale>.lproj` convention. These subfolders can contain localized versions of the `Documents` directory. They can also optionally contain localized versions of the metadata files, the index files, or `InfoPlist.strings` files, which localize one or more values in the `Info.plist` file.

2. Optionally localize the nodes or tokens files.

Although you do not need to localize the `Nodes.xml` and `Tokens.xml` files, doing so allows you to support browsing and searching in additional languages. Localizing the `Nodes.xml` file allows you to provide localized versions of the document hierarchy that the user sees in the browser view of the Documentation window. Localizing the tokens files lets you provide token-related information—for features such as the Research Assistant—in multiple languages.

3. Localize the `Info.plist` file.

The `Info.plist` file also contains strings that appear in the user interface. To localize this content, place an `InfoPlist.strings` file with the localized string values in the appropriate locale-specific subdirectory, as described in “Strings Files.”

4. Run `docsetutil` once for each locale you wish to support. “[Creating Indexes for Specific Locales](#)” (page 53) describes how to run `docsetutil` for a specific locale.

## Creating Indexes for Specific Locales

---

By default, `docsetutil` produces global indexes and stores them at the top level of the `Resources` directory. To produce indexes for particular locales, you must run `docsetutil` with a specific locale, using the `-localization` option. For example, to produce a set of Japanese language indexes for the documentation set shown in [Listing 6-2](#) (page 54), you would invoke the `docsetutil` tool like this:

```
<Xcode>/usr/bin/docsetutil index com.mycompany.MyProduct.docset -localization ja
```

The `docsetutil` tool generates indexes using the XML files and Documents directory for the specified locale and stores the indexes in the appropriate directory—`ja.lproj`, in this case.

You must run the `docsetutil` tool separately for each locale that you wish to support.

For example, a small documentation set with a handful of documents that are localized into both English and Japanese might have a bundle structure—before indexing—similar to that shown in Listing 6-2.

**Listing 6-2** An internationalized documentation set before indexing

```
com.mycompany.MyProduct.docset
  Contents
    Resources
      en.lproj
        Nodes.xml
        Tokens.xml
        InfoPlist.strings
        Documents
          Document1
          Document2
          Document3.html
      ja.lproj
        Nodes.xml
        Tokens.xml
        InfoPlist.strings
        Documents
          Document1
          Document2
          Document3.html
```

After indexing with the `-localization ja` command-line argument, the resulting bundle would look like that shown in Listing 6-3.

**Listing 6-3** An internationalized documentation set after indexing

```
com.mycompany.MyProduct.docset/
  Contents
    Resources
      en.lproj
        Nodes.xml
        Tokens.xml
        InfoPlist.strings
        Documents
          Document1
          Document2
          Document3.html
      ja.lproj
        docSet.skidx
        docSet.dsidx
        Nodes.xml
        Tokens.xml
        InfoPlist.strings
        Documents
          Document1
```

**C H A P T E R 6**  
Internationalizing Documentation Sets

Document2  
Document3.html



# Acquiring Documentation Sets Through Web Feeds

---

Xcode supports automatic detection and download of documentation set updates. You can take advantage of this feature by providing an RSS or Atom feed (also known as **web feeds**) to publish content updates for your own documentation sets. Users can subscribe to your web feed from the Xcode Documentation window. They can check for and download updates to installed documentation sets, or download new documentation sets.

Xcode uses the Publication Subscription framework to subscribe to documentation set feeds. It can recognize and support the same web feed formats supported by that framework. Currently, this includes RSS 1.0, RSS 2.0, and Atom. This chapter uses Atom in all of its explanations and examples. To learn more about the elements in an Atom feed, visit <http://atomenabled.org/developers/syndication>.

This chapter describes the key elements used to describe an Atom feed and a documentation set entry. It also includes an example Atom feed.

## Specifying Feed Information

---

A feed consists of metadata, which provides general information about the feed and its contents, and a series of entries. Each entry represents a **documentation set update**.

The feed is represented by the standard Atom element, `Feed`. To describe a feed you must specify the following information:

- The unique identifier of the feed (`id`)
- The title of the feed (`title`)
- The last time the feed was modified (`updated`)

**Note:** These are all standard Atom elements. You can learn more about these required elements at <http://atomenabled.org/developers/syndication>.

Listing 7-1 shows how you might use these elements to describe a feed. The Atom specification also defines other elements that let you specify additional information such as the author, copyright information and so forth.

**Listing 7-1** Describing a feed

```

<feed xmlns="http://www.w3.org/2005/Atom"
  xmlns:docset="http://developer.apple.com/rss/docset_extensions"
  xml:lang="en">
  <id>http://developer.apple.com/</id>
  <title type="text">Apple Developer Documentation</title>
  <updated>2006-03-24T12:00:00Z</updated>
  ...
</feed>

```

## Specifying a Documentation Set Entry

---

As you learned in the previous section, each entry in the web feed corresponds to a single documentation set download. You can publish updates to multiple documentation sets with a single web feed.

You specify an entry using the standard Atom element, `Entry`. For each entry, or documentation set, you must specify:

- The unique identifier for the entry (`id`). This can be any unique uniform resource name (URN).
- The name of the documentation set (`title`). This must match the value of documentation set's `CFBundleName` property.
- The last time the entry was modified (`updated`).
- A link to the documentation set download (`link`).
- The documentation set identifier (`docset:identifier`). This must match the value of the documentation set's `CFBundleIdentifier` property.
- The documentation set version (`docset:version`). This must match the value of the documentation set's `CFBundleVersion` property.

The first four elements are standard Atom elements, described further at <http://atomenabled.org/developers/syndication>. You can also include other elements defined by the Atom specification.

The `identifier` and `version` elements are custom elements defined by the `docset` namespace. The `docset` namespace also defines several optional elements:

- `minimumXcodeVersion`: Specifies the earliest Xcode release that is to download the documentation set.
- `maximumXcodeVersion`: Specifies the latest Xcode release that is to download the documentation set.
- `signer`: Specifies the distinguished name of the signer of the documentation set certificate.
- `issuer`: Specifies the distinguished name of the issuer of the documentation set certificate.

Listing 7-2 shows how you can use the elements described in this section to create a web feed entry for a documentation set.

**Listing 7-2** Describing a documentation set entry

```

<entry>
  <id>tag:apple.com</id>
  <title type="text">Core Reference Library</title>
  <summary type="text">Includes reference for Carbon, Cocoa, and other
frameworks.</summary>
  <updated>2006-03-24T12:00:00Z</updated>
  <link rel="enclosure" type="application/octet-stream"
href="http://developer.apple.com/docsets/CoreRef1.0.xar"/>

<docset:identifier>com.apple.ADC_Reference_Library.CoreReference</docset:identifier>
  <docset:version>200.4</docset:version>
  <docset:minimumXcodeVersion>3.0</docset:minimumXcodeVersion>
  <docset:signer>CN=ADC DocSet Update,0=Apple Inc.,OU=Apple Developer
Connection,C=US</docset:signer>
  <docset:issuer>CN=ADC DocSet Update,0=Apple Inc.,OU=Apple Developer
Connection,C=US</docset:issuer>
</entry>

```

## The Documentation Set Acquisition Process

---

When a new or updated documentation set is available, the Xcode Documentation window places a Get or Update button next to it in the documentation set list. The user must click the button to download the **documentation set archive** (a XAR archive) containing the **incoming documentation set**. If the archive and the contained documentation set pass the Xcode security checks described later in this section, the documentation set is placed in the user's filesystem.

To determine whether an installed documentation set needs to be updated when examining a feed, Xcode performs the following tasks:

1. For each installed documentation set, finds the entry with the highest version number (`docset:version`) that's between `minimumXcodeVersion` and `maximumXcodeVersion` and has the same `signer` and `issuer` values.
2. Compares the version number of the entry with the version number of the installed documentation set to determine.

If the version number of the entry is higher than the version number of the documentation set, the installed documentation set needs to be updated.

When a documentation set that hasn't been installed on the user's computer becomes available, the user can *get* the documentation set. When an update to an installed documentation set is available, the user can *update* the installed documentation set.

To ensure that the documentation set acquisition process is not used as a mechanism to introduce malicious software into a user's computer, Xcode performs several security checks before unarchiving documentation set archives and placing them in the user's filesystem. Among these checks are:

- **Documentation set archive signature verification.** Xcode verifies that the signature used in incoming documentation sets match the signature of the corresponding web feed or the documentation set being updated.

- **Quarantine of incoming documentation sets.** Before installing an incoming documentation set, Xcode places it in the user's temporary (`tmp`) directory.
- **Nonexecutable code verification.** Xcode ensures that the incoming documentation set does not contain executable code.
- **Administrator authentication.** When installing new documentation sets in privileged locations for the first time or when updating installed documentation sets in privileged locations, Xcode may request administrator authentication before carrying out the install or update process. (When the user has already approved the acquisition of a signed documentation set, further signed updates of the same documentation set do not require administrator authentication.)

The following sections describe the tasks Xcode performs when getting new documentation sets or updating installed documentation sets.

## Getting Documentation Sets

---

When the incoming documentation set has not been installed in any of the documentation set locations (that is, its identifier doesn't match the identifier of any installed documentation set), the user can click the Get button next to the documentation set's name in the documentation set list to install the new documentation set. After the user clicks the button, Xcode performs the following tasks:

1. **Signature verification.** If the web feed provides a signature, Xcode determines whether the signature is valid and whether it matches the incoming documentation set's signature. If either of these tests is not passed, Xcode terminates the install process.
2. **Administrator authentication.** If the user is unable to authenticate as one of the computer's administrators, Xcode terminates the install process.

When the documentation set is to be placed in a user-writable location, no authentication is performed.

3. **Installation.** If a documentation set from the same publisher of the incoming documentation set is installed in any documentation set location, Xcode installs the incoming documentation set in one of those locations. Otherwise, Xcode places the documentation set in `/Library/Developer/Shared/Documentation/DocSets`.
4. **End.** Xcode ends the process.

## Updating Documentation Sets

---

When the identifier of the incoming documentation set matches the identifier of an **installed documentation set** (a documentation set in one of the documentation set locations), the user can click the Update button next to the documentation set's name in the documentation set list to replace the installed documentation set with the incoming one. After the user clicks the button, Xcode performs the following tasks:

1. If the update location (the directory containing the installed documentation set) is owned by the `_devdocs` system user and the incoming documentation set is signed:

- a. **Signature verification.** Xcode determines whether the signature in the incoming documentation set is valid and whether it matches the installed documentation set's signature. If either of these tests is not passed, Xcode terminates the process.
  - b. **Update.** Xcode replaces the installed documentation set with the incoming one.
  - c. **End.** Xcode ends the process.
2. If the update location is owned by the `_devdocs` system user and the incoming documentation set is not signed:
    - a. **Administrator authentication.** If the user is unable to authenticate as one of the computer's administrators, Xcode terminates the process.
    - b. **Update.** Xcode replaces the installed documentation set with the incoming one.
    - c. **End.** Xcode ends the process.
  3. If the update location is writable by the user:
    - a. **Update.** Xcode replaces the existing documentation set with the incoming one.
    - b. **End.** Xcode ends the process.
  4. Otherwise, Xcode terminates the process.

## An Example Atom Feed

---

Listing 7-3 shows the entire specification for a sample Atom feed. This feed includes two documentation sets, Core Reference Library and PDF 2.0 reference material.

### Listing 7-3 Example Atom feed

```
<feed xmlns="http://www.w3.org/2005/Atom">
  xmlns:docset="http://developer.apple.com/rss/docset_extensions"
  xml:lang="en">
  <id>http://developer.apple.com/</id>
  <title type="text">Apple Developer Documentation</title>
  <updated>2006-03-24T12:00:00Z</updated>
  <author>
    <name>Apple Technical Publications</name>
    <uri>http://developer.apple.com/</uri>
  </author>
  <rights>Copyright (c) 2007, Apple Inc.</rights>
  <link rel="self" href="ADCDocSets.atom" />
  <entry>
    <id>http://developer.apple.com/docsets/corereflib1.0</id>
    <title type="text">Core Reference Library</title>
    <summary type="text">Includes reference for Carbon, Cocoa, and other
frameworks.</summary>
```

```
<updated>2006-03-24T12:00:00Z</updated>
<!-- Link to a page describing the documentation set. Optional. -->
<link rel="alternate" type="text/html" href="corereflib1.0"/>
<!-- Link to actual download. -->
<link rel="enclosure" type="application/octet-stream"
href="corereflib1.0/corereflib1.0.xar"/>

<docset:identifier>com.apple.ADC_Reference_Library.CoreReference</docset:identifier>
  <docset:version>200.4</docset:version>
  <docset:minimumXcodeVersion>3.0</docset:minimumXcodeVersion>
</entry>
<entry>
  <id>http://developer.apple.com/docsets/pdfs2.0</id>
  <title type="text">PDF 2.0 reference material</title>
  <summary>Includes reference the Portable Document Format framework.</summary>
  <updated>2006-03-24T14:00:00Z</updated>
  <link rel="alternate" type="text/html" href="pdfs2.0"/>
  <link rel="enclosure" type="application/xar" href="pdfs2.0/pdfs2.0.xar"/>

<docset:identifier>com.apple.ADC_Reference_Library.PDFReference</docset:identifier>
  <docset:version>17</docset:version>
  <docset:minimumXcodeVersion>3.0</docset:minimumXcodeVersion>
</entry>
</feed>
```

# Testing and Packaging Documentation Sets

---

The final steps in building a documentation set are to ensure that Xcode can correctly access, display, and search the contents of the documentation set, and to package the documentation set bundle for distribution.

This chapter describes how to use the `docsetutil` tool to test the functionality and contents of your documentation set's indexes, how to test whether Xcode can access and display your documentation, and how to package your documentation set bundle as an XAR archive.

## Querying and Testing Indexes

---

Because Xcode relies on the indexes to find and access the content of a documentation set, you should test those indexes thoroughly. The same `docsetutil` tool that you used to index your documentation set content also lets you test and validate the generated index files.

The following sections show how you can use the `docsetutil` tool to compare the contents of the indexes to the contents of the local documentation set bundle, test the search results returned by the indexes, and print out index contents.

## Comparing the Contents of the Documentation Set Bundle and its Indexes

---

One of the simplest tests you can perform on your documentation set is to validate that the generated indexes match the content of the documentation set bundle. You can do this using the `docsetutil validate` command, as in this example:

```
> <Xcode>/usr/bin/docsetutil validate com.mycompany.MyProduct.docset
```

The `docsetutil` tool warns of any discrepancies between the files listed in the indexes and the files in the local copy of the documentation set bundle. The tool detects any nonexistent files referenced in the nodes and tokens files or files that disappeared after the indexes were built.

## Verifying Indexes

---

Another useful feature of the `docsetutil` tool is the ability to print the contents of a documentation set's indexes. By examining the contents of your documentation set's indexes, you can verify that they contain the expected number of nodes and tokens, and that the document hierarchy that they describe is correct.

The `docsetutil` tool can print:

- The total number of nodes in the documentation set
- The node hierarchy; that is, all or part of the TOC of the documentation set
- The total number of documents in the full-text index
- The path to each node in the full-text index
- The total number of tokens in the API index
- The identifiers of each of the tokens in the API index

Use the `docsetutil dump` command to print the contents of your documentation set's indexes. For example, the following command prints the contents of the test documentation set's indexes:

```
> <Xcode>/usr/bin/docsetutil dump com.mycompany.MyProduct.docset
```

The output generated by this command looks similar to that shown in Listing 8-1.

### Listing 8-1 Dumping the contents of a documentation set's indexes

```
Documentation set contains 9 nodes in hierarchy
My Doc Set
  IB
    IB Reference
  Performance
    Performance Tools Tutorial
  Xcode
    User Guide
    Tutorial
    Build Settings

Full text index contains 614 documents
docset://__DEFAULT__
  IBInspector_class
  XcodeBuildSettingRef
  XcodeQuickTour
  XcodeUserGuide
  InstrumentsQuickTour
count = 6

API index contains 9 tokens
Objective-C/instm/IBInspector/document
Objective-C/instm/IBInspector/inspectedObjects
Objective-C/instm/IBInspector/inspectedObjectsController
Objective-C/instm/IBInspector/label
Objective-C/instm/IBInspector/refresh
Objective-C/clm/IBInspector/sharedInstance
Objective-C/clm/IBInspector/supportsMultipleObjectInspection
```

```
Objective-C/instm/IBInspector/view
Objective-C/instm/IBInspector/viewNibName
```

Notice that `docsetutil` prints the node hierarchy, followed by the number of documents in the full-text index. Following that, `docsetutil` prints the path to each node in the full-text index. These paths are grouped according to the root where the nodes are found. The `_DEFAULT_` root represents the `Documents` directory of the documentation set bundle. If you identified additional roots by specifying a fallback root using the `-fallback` option, they are listed under the `_FALLBACK_` root. If you specified files to download and include using the `-download` option, these also appear in the output of the `docsetutil dump` command, along with the paths to the nodes at that location.

By default, `docsetutil` prints only the paths to the nodes that are explicitly specified in the `Nodes.xml` file. However, folder and bundle nodes typically represent multiple HTML files. You can also have `docsetutil` print the paths to each of the individually indexed files in a node using the `-text-depth` option.

The contents of the indexes of for very large documentation sets can be difficult to parse. You can test smaller portions of the indexes by restricting the output of the `docsetutil dump` command. You do this in the following ways:

- Use the `-skip-text` and `-skip-api` options to skip either the full-text or API indexes when printing out the index contents.
- Use the `-toc-depth` option to limit the depth of the document hierarchy printed by `docsetutil`.
- Use the `-text-depth` option to limit the amount of information printed about the documentation set's nodes and their contents.
- Use the `-node` option to dump only the contents of the specified node and its subnodes.

For example, the following command prints only the document hierarchy of the documentation set:

```
> <Xcode>/usr/bin/docsetutil dump com.mycompany.MyProduct.docset -skip-text
-skip-api
```

For more on these options, see [“docsetutil Reference”](#) (page 69).

## Querying Indexes

---

You can also use the `docsetutil` tool to test the search results returned by your documentation set's indexes. The command `docsetutil search` searches for a particular string in the indexes of the specified documentation set. This command has one required option, `-query`, which specifies the search string. For example, the following command searches for the word “trace” in a documentation set:

```
> <Xcode>/usr/bin/docsetutil search -query trace com.mycompany.MyProduct.docset
```

The output of the `docsetutil` tool looks similar to that shown in Listing 8-2. It notes the maximum rank of the matching results and lists the rank and path of each matching HTML page.

**Listing 8-2** Sample output from `docsetutil search`

```
Max score: 90.330826
Score Path
0.129 InstrumentsQuickTour/Built-InInstruments/chapter_6_section_6.html
```

```
0.166
XcodeUserGuide/Contents/Resources/en.lproj/06_02_db_set_up_debug/chapter_40_section_10.html
...
1.000 InstrumentsQuickTour/WorkingWithInstruments/chapter_3_section_4.html
```

By default, `docsetutil search` queries both the full-text and API indexes. However, it is often easier to query and test a single index at a time. Use the `-skip-text` and `-skip-api` flags to disable the full-text or API indexes, respectively.

For example, the following command queries a documentation set’s API index for information on the `CreateWindow` symbol:

```
> <Xcode>/usr/bin/docsetutil search com.MyProduct.docset -query CreateWindow
-skip-text
```

You can also limit the scope of the search to a particular node and its subnodes, using the `-node` option, as described in [“docsetutil Reference”](#) (page 69). The following command searches for the string “trace” in only those documents that are part of the Xcode node and its subnodes:

```
> <Xcode>/usr/bin/docsetutil search -query trace -node Xcode
com.mycompany.MyProduct.docset
```

## Testing Display and Navigation

---

In addition to testing the content in the indexes, you should make sure that your documentation set displays properly in the Xcode Documentation window. To do so, simply drop the documentation set bundle into its default installation location.

If this is not one of the standard documentation locations described in [“Choosing Documentation Set Locations”](#) (page 20), make sure that you add the location of the documentation set bundle to the Documentation Sets Locations list in Xcode Preferences > Documentation.

After placing the documentation set bundle in its default installation location, launch Xcode and open the Documentation window. (You may have to quit and restart Xcode if it was already running when you installed the documentation set bundle.)

When the Documentation window opens, ensure the documentation set appears in the documentation sets list, as described in [“Documentation in Xcode”](#) (page 13). Check that the contents of your documentation set appear as you expect when you browse the set and that selecting a node in your documentation set brings up the correct HTML document. See [“Browsing Installed Content”](#) (page 14) for more on browsing in the Documentation window.

Finally, make sure that all the search types that your documentation set supports work as expected and return reasonable results. See [“Searching Content”](#) (page 15) for a description of searching in the Documentation window.

## Packaging Documentation Sets

---

The last thing you need to do before distributing your documentation set is to package it. Using the `docsetutil package` command, you can package your documentation set as an XAR archive.

For example, the following command packages a documentation set and places it on the Desktop:

```
> <Xcode>/usr/bin/docsetutil package -output ~/Desktop/MyProductDocSet.xar  
com.mycompany.MyProduct.docset
```

If you do not specify an output path, `docsetutil` places the archive in the same folder as your documentation set bundle. You can also sign the package using the `-signid` option and generate (or update) an Atom feed for the documentation set using the `-atom` option. For more information on these options, see [“docsetutil Reference”](#) (page 69).

**Note:** The `Nodes.xml` and `Tokens.xml` files do not need to be included in the documentation set bundle for distribution to users; they are required only for indexing and can be removed from the documentation set before distribution.



# docsetutil Reference

---

Apple provides the command-line tool `docsetutil` to help you create, test and query full-text and API indexes for your documentation set. The basic usage of the `docsetutil` tool is as follows:

```
docsetutil <verb> [options] <doc_set_path>
```

The `<doc_set_path>` argument specifies the file system path to the documentation set bundle and is required for all operations using `docsetutil`.

You can use `docsetutil` to:

- Generate full-text and API indexes
- Search for a particular string in the indexes
- Validate the indexes
- Print index content
- Generate a downloadable update

The `docsetutil` tool supports the following common options, which you can use with any of the available verbs:

- `-localization <locale>`. The locale to use when operating on the documentation set. Use this option to index or search localized documentation set content. The `<locale>` argument should be one of the standard locale designations, as described in “Language and Locale Designations.”

When you specify a locale for indexing, the `docsetutil` tool uses the most appropriate metadata files for the specified locale to create the index files. It stores the generated index files in a `<locale>.lproj` subdirectory of the `Resources` directory. Without this option, `docsetutil` creates global indexes, stored at the top level of the `Resources` directory, although it uses the most appropriate metadata files for the current user’s preferred language.

- `-verbose`. Print additional information about the operation.
- `-debug`. Print additional debugging information about the tool and any errors.

These are the available verbs and their corresponding options:

- `help`. Print a list of the `docsetutil` tool’s command-line options.
- `index`. Generate indexes for the specified documentation set. These are this verb’s options:

`-fallback <path>`. The path to a local copy of the web content associated with the documentation set. This is the web content at the location specified by the documentation set's "DocSetFallbackURL" (page 74) property. If the documentation set splits its content between the locally installed documentation set bundle and additional files on the web, you must create a local copy of the web content for indexing. When a documentation node—as listed in the `Nodes.xml` file—is not found in the documentation set bundle, the `docsetutil` tool looks at the location specified by the fallback argument and uses the files it finds there for the full-text index.

`-node <node_path>`. (Documentation-set debugging) The path to the documentation node that you want to index. This option indexes the specified node and any subnodes it might have. `<node_path>` is a colon-separated string of node names, such as `Core Reference:Cocoa`. The root node is optional. Node names must match exactly the `Name` element in the nodes file.

`-download`. Downloads and indexes the landing page associated with any node that specifies an Internet address as its location using the `URL` element. The `docsetutil` tool downloads only the node's landing page. It does not download the folder or folder hierarchy of content associated with a folder or bundle node.

`-skip-text`, `-skip-api`. Prevents the creation of either the full-text or API indexes, respectively. By default, the indexer creates both the full-text and API indexes. You can use these flags to disable one of these indexes.

- `search`. Query the existing indexes for the given string and report any matches. This allows you to test indexes that you have previously generated. These are this verb's options:

`-query <string>`. The string to search for in the specified indexes. This option is required.

`-node <node_path>`. The path to the documentation node that you want to search. This is useful for limiting the scope of your search to a particular node in the documentation set, and any subnodes that it might have. `<node_path>` is a colon-separated string of node names, such as `Core Reference:Cocoa`. The root node is optional.

`-skip-text`, `-skip-api`. Skip either the full-text or API indexes, respectively. By default, `docsetutil` searches both the full-text and API indexes. You can use these flags to remove either of these indexes from the search, which is useful for limiting the scope of your search during testing.

- `dump`. Print the contents of existing indexes. This is useful for testing the indexes and ensuring that all expected information is present. This command also prints useful statistics about these indexes, such as the total number of nodes and tokens in them. This verb's options are:

`-node <node_path>`. The path to the documentation node whose contents you want to print. Use this option to limit the scope of the printed information. The `docsetutil` tool prints the contents of the specified node, including its subnodes. `<node_path>` is a colon-separated string of node names, such as `Core Reference:Cocoa`. The root node is optional.

`-toc-depth <toc_levels>`. The number of levels of the documentation hierarchy that you want to print. You can use this option to restrict the printout of the documentation set's table of contents to a particular depth.

`-text-depth <text_levels>`. The number of levels of information you want `docsetutil` to print from the full-text index. Possible values are:

- 0: `docsetutil` prints only the names of the root locations. The root locations include the location of the local documentation set bundle (the default root), any location specified by the `DocSetFallbackURL` property, and any other base URL locations specified by individual nodes in the `Nodes.xml` file.

## docsetutil Reference

- ❑ 1: (Default) `docsetutil` prints the root locations and the relative path to each of the nodes found at those root locations.
- ❑ 2: `docsetutil` prints the root locations, the path to each of the nodes therein, and the path to each HTML file indexed for each node.

`-skip-text`, `-skip-api`. Skip either the full-text or API indexes, respectively. By default, `docsetutil` prints the contents of both the full-text and API indexes. You can use these flags to disable one or both of these indexes. This is useful for limiting the size of the printout during testing. If you use both of these flags together, `docsetutil` prints only the document hierarchy.

- `validate`. Compare the contents of the indexes to the contents of the documentation set bundle and report any discrepancies.
- `package`. Package the documentation set bundle as an XAR archive. Options:
  - `-output <package_path>`. The pathname of the archive to create. If no output path is specified, `docsetutil` places the XAR archive in the same directory as the documentation set bundle. The archive's name, in this case, is the same as the documentation set bundle name, but with the extension `xar` instead of `docset`.
  - `-signid <identity_name>`. The identity to use when adding a digital signature to the XAR archive. `docsetutil` looks through the user's keychains for an identity with this name.
  - `-atom <atom_path>`. The path of the Atom feed to update with a new entry (or update an existing entry with the same version number) populated with all the available metadata about the documentation set and, if used, its signing identity. If the file does not exist, an Atom feed file is created.
  - `-download-url <URL>`. The URL at which the package is placed. This URL is used to create the feed entry. If not specified, a placeholder is put into the feed entry and you need to edit the entry before publishing it.



# Documentation-Set Property List Key Reference

---

This chapter describes the property list keys that you can use in the `Info.plist` file for your documentation set bundle. It lists only those keys that have particular relevance to documentation sets. For a list of the core Mac OS X property list keys, see “Property List Key Reference.”

## CFBundleDevelopmentRegion

---

The default region for the bundle. This is typically the language in which the documentation set is developed. Xcode uses the language specified by this key as the default language if a documentation set resource cannot be found for the user’s preferred region or language.

This is a standard Mac OS X property list key. See “Property List Key Reference” for more information.

## CFBundleIdentifier

---

A reverse-domain name style string that uniquely identifies the documentation set bundle, such as `com.apple.ADC_Reference_Library.CoreReference`. This string should be globally unique. This string should not change between different versions of the same documentation set.

Xcode uses the identifier string to match an installed documentation set with a specific entry in the RSS/Atom feed specified by the feed URL.

This is a standard Mac OS X property list key. See “Property List Key Reference” for more information.

## CFBundleName

---

The name of the documentation set. Xcode uses this name to identify the documentation set to the user. It appears in the Xcode documentation window, below the name of the feed to which the documentation set belongs. This string can be localized.

This is a standard Mac OS X property list key. See “Property List Key Reference” for more information.

## CFBundleVersion

---

The version number of the documentation set bundle. This value is compared to the version number for the documentation set with the same identifier in the web feed to determine whether a new version is available for download.

This is a standard Mac OS X property list key. See “Property List Key Reference” for more information.

## DocSetFallbackURL

---

An optional URL pointing to a parallel location on the web where the contents of the documentation set’s Documents folder can be found. When browsing or searching the installed documentation set, if Xcode cannot find a file in the local installation, it tries to load the file from the web site specified by this key.

For example, if Xcode is trying to access a file at the path—relative to the documentation set’s Documents directory—`PlugIns/MyPlugIn.html` and cannot find that file, it checks to see if the documentation set specifies an alternate fallback URL. If that fallback URL exists—say, for example `http://mycompany.com/Documentation/MyNiftyDocSet`—Xcode looks for the missing file at `http://mycompany.com/Documentation/MyNiftyDocSet/PlugIns/MyPlugIn.html`.

If you have a large documentation set, you can use a fallback website to reduce its footprint. You can install only the essential parts of your documentation in the local copy of the documentation set bundle, while less commonly used documents may exist only on your website.

**Note:** Using the `DocSetFallbackURL` key to establish a remote root is not the same as using the URL element to specify a remote location for a documentation node’s content. The `DocSetFallbackURL` specifies an alternate location for the entire documentation set. Xcode checks this alternate location only after it checks the local copy of the bundle.

The URL element lets you specify a remote location for a single documentation node. Xcode always checks this location.

## DocSetFeedName

---

A short name describing the overall group of documentation to which this documentation set belongs. This name appears above the entry for the documentation set in the documentation sets list in the Xcode documentation window. All documentation sets having the same documentation feed URL—the same value for the “`DocSetFeedURL`” (page 75) key—or the same value for this key are grouped together under this entry.

This display name is typically a name identifying the provider of the documentation set, such as “Apple.” This string can be localized.

## DocSetFeedURL

---

The URL of an RSS/Atom feed that Xcode can use to learn about updates or additional documentation sets available from the same publisher. Xcode groups all documentation sets having the same feed URL under the feed name in the documentation window. If no feed URL is specified, Xcode groups documentation sets using the feed name. If multiple documentation sets specify the same feed URL but different feed names, Xcode still groups those documentation sets together, but the feed name that is displayed is undefined.

## DocSetCertificateSigner

---

A string specifying the distinguished name of the signer of the documentation set certificate.

**For example:** C=US,O=Apple Computer\, Inc.,OU=mac.com,CN=myMacAcct.

## DocSetCertificateIssuer

---

A string specifying the distinguished name of the issuer of the documentation set certificate.

**For example:** C=US,O=Apple Computer\, Inc.,OU=Apple Computer Certificate Authority,CN=Apple .Mac Certificate Authority.

## NSHumanReadableCopyright

---

A copyright string. This string is displayed in the Info window for the documentation set.

This is a standard Mac OS X property list key. See Property List Key Reference for more information.



# Documentation-Set Nodes Schema Reference

---

This chapter describes the element structure of the `Nodes.xml` (nodes) file used in documentation sets.

The schema for the nodes file, `NodesSchema.rng`, is located in the `DocSetAccess` framework in `<Xcode>/Library/PrivateFrameworks/DocSetAccess.framework`.

Listing C-1 lists the topology of the elements of a nodes file.

**Listing C-1** Nodes.xml element topology

```

DocSetNodes
  TOC
    Node
      Name
      URL
      Path
      File
      Anchor
      Subnodes
        Node
        NodeRef
    NodeRef
      Subnodes
  Library
    Node

```

## DocSetNodes

---

Root element of the nodes file.

```

DocSetNodes [version]
  TOC
  Library

```

## Attributes

Name	Type	Description
version	Decimal	The version number of the NodesSchema.rng file. The only supported version is 1.0.

## Subelements

Cardinality	Element
1	<a href="#">"TOC"</a> (page 78)
0..1	<a href="#">"Library"</a> (page 83)

## TOC

Defines the document hierarchy presented to the user in the Documentation window.

TOC []  
 Node|NodeRef

## Attributes

None.

## Subelements

Cardinality	Element	Usage
1	<a href="#">"Node"</a> (page 78) or <a href="#">"NodeRef"</a> (page 80)	Although this element must contain a Name element, the Documentation window actually displays the localized documentation set name (specified by the CFBundleName property) for this root node.

## Node

Represents a single node in the document hierarchy.

Node [id, type, isPrimaryTOCNode, noindex]  
 Name

*URL*  
*Path*  
*File*  
*Anchor*  
*Subnodes*

A node represents a file or a group of files within the documentation set. A node is associated with a location in the HTML files, specified by a combination of its *URL*, *Path*, *File* and *Anchor* subelements.

See [“Specifying Subnodes”](#) (page 30) for usage details.

## Attributes

Name	Type	Description
id	Integer	This unique—within the documentation set—identifier allows the node to be referenced elsewhere in the <code>Nodes.xml</code> or <code>Tokens.xml</code> files.
type	String	<i>Optional</i> . Specifies the node type. Values: <code>file</code> (default), <code>folder</code> , <code>bundle</code> .
isPrimaryTOCNode	Boolean	<i>Optional</i> . Indicates whether the node represents the primary TOC location of the document the node represents. Default: <code>false</code> .
noindex	Boolean	<i>Optional</i> . Species whether the node is excluded from the documentation set’s indexes and from from any searches. Default: <code>false</code> .

## Subelements

Cardinality	Element	Usage
1	<a href="#">“Name”</a> (page 80)	Specifies the node’s name, which appears in the Documentation window.
0..1	<a href="#">“URL”</a> (page 81)	Specifies the location of the files the node represents.
0..1	<a href="#">“Path”</a> (page 82)	Specifies the location of the files the node represents.
0..1	<a href="#">“File”</a> (page 82)	Specifies the name of the file the node represents.
0..1	<a href="#">“Anchor”</a> (page 83)	Specifies a scroll-to location within the node’s landing page.
0..1	<a href="#">“Subnodes”</a> (page 80)	Defines a group of subnodes.

## Name

---

Specifies a name.

Name [] {string}

## Attributes

---

None.

## Content

---

String.

## Subnodes

---

Defines a list of nodes.

Subnodes []  
Node, NodeRef

## Attributes

---

None.

## Subelements

---

Cardinality	Element
1..*	<a href="#">"Node"</a> (page 78)
	<a href="#">"NodeRef"</a> (page 80)

## NodeRef

---

Refers to a node defined elsewhere in the nodes file.

NodeRef [refid, [*isPrimaryTOCNode*]]  
Subnodes

You can also use this element in tokens files to associate a symbol with a documentation node. This is useful when a `Node` element describing the symbol’s reference documentation already exists.

When it appears within a `Subnodes` or `TOC` element, a `NodeRef` is treated as if the `Node` element it references was itself listed there. This allows a document to be listed multiple times in the document hierarchy of the documentation set.

**Important:** If multiple `NodeRef` elements define subnodes for the same `Node`, only one set of subnodes are used; which one is used is undefined.

## Attributes

Name	Type	Description
<code>refid</code>	Integer	Specifies the <code>id</code> of the referenced node.
<code>isPrimaryTOCNode</code>	Boolean	<i>Optional.</i> Indicates whether the node represents the primary TOC location of the document the node represents. Default: <code>false</code> .

## Subelements

Cardinality	Element	Usage
0..1	<a href="#">“Subnodes”</a> (page 80)	Defines a group of subnodes. These subnodes are used only when the node identified by the <code>id</code> attribute does not contain subnodes.

## URL

Specifies the base location of the node’s documentation as a URL.

URL [ ] {URL}

When used alone, the `URL` element is interpreted as the full path to the file to load when the user selects the node. See [“Specifying the Location of a Documentation Node”](#) (page 27) for details about using this element with other `Node` subelements.

## Attributes

None.

## Content

---

URL.

## Path

---

Specifies the path to the file or directory associated with a node.

Path [] {filepath}

The Path element can specify:

- The relative path to the node's landing page.
- A subpath to the directory containing the node's landing page.

See [“Specifying the Location of a Documentation Node”](#) (page 27) for details about using this element with other Node subelements.

## Attributes

---

None.

## Content

---

Filepath.

## File

---

Specifies a filename.

File [] {normalizedString}

See [“Specifying the Location of a Documentation Node”](#) (page 27) for details about using this element with other Node subelements.

## Attributes

---

None.

## Content

---

Normalized string.

## Anchor

---

Identifies a scroll-to-here location within a node's landing page.

Anchor [] {normalizedString}

See [“Specifying the Location of a Documentation Node”](#) (page 27) for details about using this element with other Node subelements.

## Attributes

---

None.

## Content

---

Normalized string.

## Library

---

Defines a library of nodes.

Library []  
Node

See [“Creating a Library of Node Definitions”](#) (page 33) for usage details.

## Attributes

---

None.

## Subelements

---

Cardinality	Element
1..*	<a href="#">“Node”</a> (page 78)



# Documentation-Set Tokens Schema Reference

---

This chapter describes the element structure of the `Tokens.xml` (tokens) file used in documentation sets.

The schema for the nodes file, `NodesSchema.rng`, is located in the `DocSetAccess` framework in `<Xcode>/Library/PrivateFrameworks/DocSetAccess.framework`.

Listing D-1 lists the topology of the elements of a nodes file.

## Listing D-1 Tokens.xml element topology

```

Tokens
  Token
    TokenIdentifier
      Name
      APILanguage
      Type
      Scope
    Path
    NodeRef
    Anchor
    Abstract
    Declaration
    DeclaredIn
      HeaderPath
      FrameworkName
    Availability
      IntroducedInVersion
      RemovedAfterVersion
      DeprecatedInVersion
      DeprecationSummary
    RelatedTokens
      TokenIdentifier
    RelatedDocuments
      NodeRef
    RelatedSampleCode
      NodeRef
  File
    Token
  RelatedTokens
    TokenIdentifier

```

# Tokens

---

The root element of a tokens file.

```

Tokens [version]
  Token
  File
  RelatedTokens
    
```

## Attributes

---

Name	Type	Description
version	Decimal	The version number of the NodesSchema.rng file. The only supported version is 1.0.

## Subelements

---

Cardinality	Element	Para
1..*	<a href="#">“Token”</a> (page 86)	Specifies a symbol.
	<a href="#">“File”</a> (page 82)	Identifies an HTML file and defines set of symbols that are documented in that file. See <a href="#">“Grouping Tokens by File”</a> (page 45) for details.
	<a href="#">“RelatedTokens”</a> (page 97)	Specifies a set of symbols in which each symbol is related to every other symbol in the set. See <a href="#">“Specifying Related Tokens”</a> (page 46) for details.

# Token

---

Describes a single symbol, or token.

```

Token []
  TokenIdentifier
  Path
  NodeRef
  Anchor
  Abstract
  Declaration
  DeclaredIn
  Availability
  RelatedTokens
  RelatedDocuments
  RelatedSampleCode
    
```

This element:

- Associates a symbol with its primary reference documentation.
- Supplies additional information—such as availability, declaration, and so forth—about the symbol.

For usage information, see [“Defining a Symbol for Lookup”](#) (page 37).

## Attributes

---

None.

## Subelements

---

Cardinality	Element	Usage
1	<a href="#">“TokenIdentifier”</a> (page 88)	Identifies the symbol.
0..1	<a href="#">“Path”</a> (page 94)	Specifies the path to the HTML file containing the primary documentation. Must not be used when the token is located within a <code>File</code> element.
0..1	<a href="#">“NodeRef”</a> (page 91)	References the node representing the primary documentation for the symbol. Must not be used when the token is located within a <code>File</code> element. Can be used alone or in conjunction with a <a href="#">“Path”</a> (page 94) element (see <a href="#">“Associating Symbols with API Reference Documentation”</a> (page 40) for details).
0..1	<a href="#">“Anchor”</a> (page 91)	If you have a single HTML file that contains the primary reference documentation for more than one token, use this element to specify the location within that file of a particular token’s description.
0..1	<a href="#">“Abstract”</a> (page 90)	Provides a summary or brief description of the symbol.
0..1	<a href="#">“Declaration”</a> (page 92)	Specifies the symbol’s declaration statement.
0..1	<a href="#">“DeclaredIn”</a> (page 92)	Specifies the header and framework in which the symbol is declared.
0..1	<a href="#">“Availability”</a> (page 93)	Specifies the product versions and computer architectures in which the token appears.
0..1	<a href="#">“RelatedTokens”</a> (page 97)	Specifies a set of symbols that are related to the token. The relationship is one way; there’s no inverse relationship from those symbols to this one.

Cardinality	Element	Usage
0..1	<a href="#">“RelatedDocuments”</a> (page 98)	Specifies a list of documents that contain further information about the symbol. A token identifies its primary reference documentation through the <a href="#">“Path”</a> (page 94), <a href="#">“NodeRef”</a> (page 91), or <a href="#">“File”</a> (page 99) elements; do not use this element to specify the primary reference documentation.
0..1	<a href="#">“RelatedSampleCode”</a> (page 98)	Specifies a list of documents containing sample code that showcase the symbol’s usage.

## TokenIdentifier

---

Uniquely identifies a symbol or token.

```
TokenIdentifier [] {tokenizedString}
```

```
Name
APILanguage
Type
Scope
```

There are two ways to specify a token identifier (use only one):

1. Using the `Name`, `Type`, `APILanguage`, and `Scope` subelements to individually specify the token's properties ([“Subelements”](#) (page 88)).
2. Using an identifier that conforms to the `apple_ref` convention ([“Content”](#) (page 89)), described in *“Symbol Markers for HTML-Based Documentation”* in *HeaderDoc User Guide*.

For more information, see [“Identifying Symbols”](#) (page 38).

## Attributes

---

None.

## Subelements

---

Each subelement specifies a specific component of a symbol identifier. See [“Defining Tokens Using Individual Properties”](#) (page 38) for details.

Cardinality	Element	Usage
1	<a href="#">“Name”</a> (page 89)	Specifies the name of the symbol. For example: <code>arrayWithContentsOfFile::</code>

Cardinality	Element	Usage
0..1	<a href="#">“APILanguage”</a> (page 89)	Specifies the programming language in which the symbol is defined. For example: <code>occ</code> .
1	<a href="#">“Type”</a> (page 90)	Specifies the symbol’s type. For example: <code>clm</code> .
0..1	<a href="#">“Scope”</a> (page 90)	Specifies the scope within which the symbol is defined. For example: <code>NSArray</code> .

## Content

---

Tokenized string. This string identifies a symbol. For example:

`//apple_ref/occ/clm/NSArray/arrayWithContentsOfFile:.` See [“Defining Tokens Using apple\\_ref Identifiers”](#) (page 39) for details.

## Name

---

Specifies a name.

Name [] {string}

## Attributes

---

None.

## Content

---

String.

## APILanguage

---

Species a programming language.

APILanguage [] {string}

## Attributes

---

None.

## Content

---

String.

## Type

---

Specifies a symbol type.

Type [] {string}

## Attributes

---

None.

## Content

---

String. Valid values are described in “Symbol Markers for HTML-Based Documentation” in *HeaderDoc User Guide*.

## Scope

---

Specifies a programming scope (namespace or container).

Scope [] {string}

## Attributes

---

None.

## Content

---

String.

## Abstract

---

Specifies a summary or brief description.

Abstract [*type*] {HTMLCode|String}

This element lets you provide a summary description, usually one sentence.

When using HTML content, it must be valid; this includes double-escaping of entities. You can include links or basic HTML formatting. Hyperlinks with relative paths are resolved relative to the `Documents` directory.

## Attributes

---

Name	Type	Description
<code>type</code>	String	<i>Optional.</i> The type of the content. Values: "text" (default), "html".

## Content

---

HTML code or string.

## Anchor

---

Specifies the name of an anchor in an HTML file.

Anchor [] {normalizedString}

## Attributes

---

None.

## Content

---

Normalized string.

## NodeRef

---

References a node defined in the nodes file.

NodeRef [refid]

## Attributes

---

Name	Type	Description
refid	Integer	Specifies the id of the referenced node.

## Declaration

---

Specifies a symbol's declaration statement.

```
Declaration [type] {HTMLCode}
```

When using HTML content, it must be valid; this includes double-escaping of entities. You can include links or basic HTML formatting. Hyperlinks with relative paths are resolved relative to the `Documents` directory.

Use an HTML `PRE` element to ensure the line breaks and indentations are preserved when the content is displayed.

## Attributes

---

Name	Type	Description
type	String	<i>Optional</i> . The type of the content. Values: "text" (default), "html".

## Content

---

HTML code or string.

## DeclaredIn

---

Specifies the header and framework in which the symbol is declared, for tokens that describe an API symbol.

```
// Usage 1:
DeclaredIn []
  HeaderPath
  FrameworkName
// Usage 2:
DeclaredIn [] {filepath}
```

This element supports two usage patterns:

1. You can specify the file path to the header in which the symbol is declared and the name of the framework that must be loaded to use that symbol separately, using the `HeaderPath` and `FrameworkName` elements, respectively. See “[Subelements](#)” (page 93) for details.
2. If the API is not part of a framework, you can specify the path to the header as a string, directly within the `DeclaredIn` element. See “[Content](#)” (page 93) for details.

## Subelements

Cardinality	Element	Usage
1	“ <a href="#">HeaderPath</a> ” (page 94)	Specifies the pathname of the symbol’s header file.
0..1	“ <a href="#">FrameworkName</a> ” (page 95)	Specifies the name of the symbol’s framework. Needed only when the symbol is part of a framework.

## Content

Pathname. The pathname of the symbol’s header file.

## Availability

Specifies availability information related to a product and computer architecture.

Availability [distribution]

*IntroducedInVersion*  
*RemovedAfterVersion*  
*DeprecatedInVersion*  
*DeprecationSummary*

See “[Version Information](#)” (page 42) for usage details.

## Attributes

Name	Type	Description
distribution	String	Specifies the name of a product, such as Mac OS X.

## Subelements

Cardinality	Element	Usage
1..*	<a href="#">“IntroducedInVersion”</a> (page 95)	Specifies a product version and computer architecture in which a symbol was introduced.
0..*	<a href="#">“RemovedAfterVersion”</a> (page 96)	Specifies a product version and computer architecture in which a symbol was last available.
0..*	<a href="#">“DeprecatedInVersion”</a> (page 96)	Specifies a product version and computer architecture in which a symbol was deprecated.
0..1	<a href="#">“DeprecationSummary”</a> (page 97)	Provides information about a symbol whose usage is not recommended.

## Path

Specifies a filepath.

Path [] {filepath}

### Attributes

None.

### Content

Filepath.

## HeaderPath

Species the pathname of a header file.

HeaderPath [] {pathname}

### Attributes

None.

## Content

---

Pathname.

## FrameworkName

---

Specifies the name of a framework.

```
FrameworkName [] {string}
```

## Attributes

---

None.

## Content

---

String.

## IntroducedInVersion

---

Specifies an introduced-in version number.

```
IntroducedInVersion [cputype, bitsize] {threeTupleNumber}
```

## Attributes

---

Name	Type	Description
<code>cputype</code>	String	Specifies the CPU type to which this version information applies. Values: <code>ppc</code> (PowerPC), <code>i386</code> (Intel). When unspecified, the version applies to both CPU types.
<code>bitsize</code>	Integer	Specifies the CPU bitsize to which this version information applies. Values: <code>32</code> (32 bit), <code>64</code> (64 bit). When unspecified, the version number applies to both CPU bitsizes.

## Content

---

Period-separated, three-tuple number in the form `x.y.z`, where `x`, `y`, and `z` are integers. Only the major version number—`x`—is required.

## DeprecatedInVersion

---

Specifies a deprecated-in version number.

```
DeprecatedInVersion [cputype,bitssize] {threeTupleNumber}
```

### Attributes

---

Name	Type	Description
cputype	String	Specifies the CPU type to which this version information applies. Values: ppc (PowerPC), i386 (Intel). When unspecified, the version applies to both CPU types.
bitssize	Integer	Specifies the CPU bitssize to which this version information applies. Values: 32 (32 bit), 64 (64 bit). When unspecified, the version number applies to both CPU bitssizes.

### Content

---

Period-separated, three-tuple number in the form  $x.y.z$ , where  $x$ ,  $y$ , and  $z$  are integers. Only the major version number— $x$ —is required.

## RemovedAfterVersion

---

Specifies a removed-after version number.

```
RemovedAfterVersion [cputype,bitssize] {threeTupleNumber}
```

### Attributes

---

Name	Type	Description
cputype	String	Specifies the CPU type to which this version information applies. Values: ppc (PowerPC), i386 (Intel). When unspecified, the version applies to both CPU types.
bitssize	Integer	Specifies the CPU bitssize to which this version information applies. Values: 32 (32 bit), 64 (64 bit). When unspecified, the version number applies to both CPU bitssizes.

## Content

---

Period-separated, three-tuple number in the form  $x.y.z$ , where  $x$ ,  $y$ , and  $z$  are integers. Only the major version number— $x$ —is required.

## DeprecationSummary

---

Specifies summary information about a symbol whose usage is not recommended.

Use this element to provide additional information about other symbols or technologies that the user should use instead.

DeprecationSummary [*type*] {HTMLCode}

When using HTML content, it must be valid; this includes double-escaping of entities. You can include links or basic HTML formatting. Hyperlinks with relative paths are resolved relative to the Documents directory.

## Attributes

---

Name	Type	Description
type	String	<i>Optional.</i> The type of the content. Values: "text" (default), "html".

## Content

---

HTML code.

## RelatedTokens

---

Defines a list of tokens.

RelatedTokens [*title*]  
TokenIdentifier

## Attributes

---

Name	Type	Description
title	String	Specifies a label for the token list.

## Subelements

---

Cardinality	Element	Usage
1..*	<a href="#">“TokenIdentifier”</a> (page 88)	Identifies a token defined in the documentation set.

## RelatedDocuments

---

Defines a list of documents.

RelatedDocuments []  
NodeRef

## Attributes

---

None.

## Subelements

---

Cardinality	Element	Usage
1..*	<a href="#">“NodeRef”</a> (page 91)	References a node defined in the nodes file.

## RelatedSampleCode

---

Defines a list of documents containing sample code.

RelatedSampleCode []  
NodeRef

## Attributes

---

None.

## Subelements

---

Cardinality	Element	Usage
1..*	<a href="#">“NodeRef”</a> (page 91)	References a node defined in the nodes file.

## File

---

Identifies an HTML file and a set of tokens that are documented in that file.

File [path,noderef]  
Token

When you use the `File` element to group token definitions, the individual `Token` elements inside of the `File` element cannot contain `Path` or `NodeRef` elements.

### Attributes

---

Name	Type	Description
path	Filepath	Specifies the path to the HTML file that documents the tokens. See <a href="#">“Grouping Tokens by File”</a> (page 45) for details.
noderef	Integer	Specifies the <code>id</code> of the node to associate with the tokens this element specifies. See <a href="#">“Node”</a> (page 78) for more information.

### Subelements

---

Cardinality	Element	Usage
1..*	<a href="#">“Token”</a> (page 86)	Specifies a token that is documented in the HTML file.



# Document Revision History

---

This table describes the changes to *Documentation Set Guide*.

Date	Notes
2007-10-31	New document that describes how to integrate third-party documentation with the Xcode Documentation window.

# REVISION HISTORY

Document Revision History